

REPORT DOCUMENTATION PAGE				Form Approved OMB No. 0704-0188	
<p>Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.</p> <p>PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.</p>					
1. REPORT DATE (DD-MM-YYYY) 13-09-2006		2. REPORT TYPE Conference Proceedings		3. DATES COVERED (From – To) 8 August 2005 - 12 August 2005	
4. TITLE AND SUBTITLE Strongly Interacting Systems at the Nanoscale			5a. CONTRACT NUMBER FA8655-05-1-5032		
			5b. GRANT NUMBER		
			5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S) Conference Committee			5d. PROJECT NUMBER		
			5d. TASK NUMBER		
			5e. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) The Abdus Salam ICTP Strada Costiera 11 Trieste I-34100 Italy			8. PERFORMING ORGANIZATION REPORT NUMBER N/A		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) EOARD PSC 821 BOX 14 FPO 09421-0014			10. SPONSOR/MONITOR'S ACRONYM(S)		
			11. SPONSOR/MONITOR'S REPORT NUMBER(S) CSP 05-5032		
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution is unlimited. (approval given by local Public Affairs Office)					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT <p>The Final Proceedings for Strongly Interacting Systems at the Nanoscale, 8 August 2005 - 12 August 2005</p> <p>The purpose of the meeting is to bring together the communities of two different fields of solid-state physics, namely those of mesoscopic physics and of strongly correlated systems. The conference will focus on some of the recent intriguing themes in meso/nanoscale science and correlated electron physics: the non-equilibrium quantum systems, central spin problems, novel phenomena in nanoparticles and molecular conductors, and the physics of cold atomic gases. The conference presents a unique opportunity for scientists from developing countries to learn first hand about the recent advances and the current research in two rapidly growing fields, where the pace of research is much faster than the ability of major journals to reflect the new progress.</p>					
15. SUBJECT TERMS EOARD, Nanotechnology, Mesoscopic systems, Non-Equilibrium Phenomena, Cold Atomic Gases, Central Spin Problems					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT UL	18. NUMBER OF PAGES 72	19a. NAME OF RESPONSIBLE PERSON KEVIN J LAROCHELLE, Maj, USAF
a. REPORT UNCLAS	b. ABSTRACT UNCLAS	c. THIS PAGE UNCLAS			19b. TELEPHONE NUMBER (Include area code) +44 (0)20 7514 3154

EOARD USAF – Performance Report

The Abdus Salam ICTP Conference

Strongly Interacting Systems at the Nanoscale

8-12 August, 2005

The Abdus Salam ICTP, Trieste, Italy

Principal Organiser: Boris N. Narozhny - - UNESCO Tenure-track scientist, Ph. D.

Address: Condensed Matter Section, The Abdus Salam ICTP, Trieste, I-34100, Italy

Telephone +39 040 2240244 **Fax** +39 040 224163 **E-mail:** narozhny@ictp.trieste.it

Signature



20 October, 2005

Conference Directors

Prof. V. Falko

Physics Department, Lancaster University
Bailrigg, Lancaster LA1 4YB, UK.

Prof. A.J. Millis

Dept of Physics, Columbia University
538 W. 120th St., New York, NY 10027, USA.

Key Participants

B. Altshuler (Princeton U)

D. Loss (U. Basel)

C. Marcus (Harvard)

L. Balents (Santa Barbara)

N. Andrei (Rutgers)

A. Mirlin (Karlsruhe)

G. Shlyapnikov (Paris)

C. Mueller (Bayreuth)

Yu. Nazarov (TU Delft)

M. Troyer (ETH Zurich)

K. Flensberg (Niels Bohr Inst.)

L. Glazman (U Minnesota)

I. Lerner (Birmingham)

N. Zhitenev (Bell Labs)

Attendance 137 participants representing 43 countries including 34 speakers and 34 participants presenting posters

Conference Record

Available notes and abstracts of talks and posters are displayed on the web:
<http://agenda.ictp.trieste.it/agenda/current/fullAgenda.php?ida=a04202>

Sponsors

- a) The Abdus Salam ICTP
- b) NSF (USA) – IICAM
- c) ONRG
- d) EOARD

Speakers and Participants supported by EOARD grant

A. Chubukov (USA)

V. Falko (UK)

M. Kiselev (Russia)

D. Loss (Switzerland)

A. Mirlin (Russia)

D. Polyakov (Russia)

M. Pustilnik (Israel)

G. Shlyapnikov (Russia)

A. Yacoby (Israel)

EOARD USAF – Performance Report

The Conference on Strongly Interacting Systems at the Nanoscale aimed at bringing together leading experts in the fields of mesoscopic physics and strongly correlated systems. Recent advances in the physics of strongly correlated fermions and bosons in a disordered environment and confined geometries demonstrate the necessity for convergence between the two narrowly specialised communities. Rapid development in material technology and in low temperature techniques during the last few years led to the discoveries of new physical phenomena including Bose condensation of atomic gases and a possible metal-insulator transition in two-dimensional high mobility electron structures. This has pushed the forefront of fundamental research in condensed matter towards the edge where the interplay between many-body correlations and quantum interference enhanced by disorder has become the key to understanding novel phenomena.

The Conference program was designed to reflect the most recent developments in those areas of condensed matter research where disorder and electron-electron interactions play the dominant role. Invited talks were grouped in sessions devoted to a single research topic. These included the novel research directions, such as physics of cold atomic gases and the central spin problem (i.e. effects of hyperfine interaction in quantum dots), as well as more traditional areas of mesoscopic physics (including interaction effects in low-dimensional electron systems and molecular conductors) and strongly correlated systems (including physics of carbon nanotubes and quantum wires). One of the highlights of the Programme was the ICTP Colloquium given by Prof. C. Marcus (Harvard University), who in particular described the latest advances in semiconductor technology and their impact on the experimental condensed matter physics as well as industrial applications.

The format of the Conference encouraged active participation on the part of participants, who have often interrupted the speakers with questions. Each talk was followed by a short discussion. A special feature of the Conference was the special discussions that were organized if a particular talk would attract an exceptional interest. Such discussions took place during the mid-day break in the main Programme in specially reserved classrooms, included the speaker and were led by the session chairman or one of the conference organizers. The layout of the ICTP guesthouse where the Conference took place allowed for up to three simultaneous discussions at the same time. One of the motivations for organizing these discussions was to provide junior researchers and researchers from the developing countries with a hands-on experience in a subject of their interest led by the leading experts in the field. Indeed, the discussions were well attended by students and postdocs who participated in the Conference.

The Conference was a great success, as was noted by the participants and organizers alike. During the last couple of days of the Conference and in the weeks after its conclusion the organizers received a large number of inquiries regarding the future continuation of the activity demonstrating wide interest in the discussion-oriented format of the conference as well as of course the particular choice of research directions and scientific level of the participants and speakers. Therefore, plans for the subsequent conference are now being discussed by the organizers with the preliminary target period of summer 2007.

On behalf of Organizing Committee, I would like to express my gratitude to EOARD for supporting the Conference. The conference materials (including the Programme, list of abstracts, list of participants, and the financial report) are attached. I hope that the successful collaboration between the EOARD and the Abdus Salam ICTP which made this exciting Conference possible will continue in the future.

Signature



Date 20 October, 2005

Dr. B.N. Narozhny, Principal Organiser

on behalf of Conference Directors, Professors V.Falko and A.Millis



Conference on Strongly Interacting Systems at the Nanoscale

(ICTP, Trieste, 8 - 12 August 2005)

Financial Statement (in Euro)

Income

Contribution from the European Office of Aerospace Research and Development - London
received on 5 August 2005 US\$ 6,000.00 equivalent to Euro 4,845.90

Expenditures

Name	Nationality	Travel	Subsistence	Total
------	-------------	--------	-------------	-------

a) Course Director and Speakers

CHUBUKOV, Andrey	U.S.A.	n/a	112.00	112.00
FALKO, Vladimir	United Kingdom	417.84	480.00	897.84
LOSS, Daniel	Switzerland	400.00	280.00	680.00
MIRLIN, Alexander	Russian Federation	265.96	n/a	265.96
PUSTILNIK, Michael	Israel	700.00	448.00	1,148.00
SHLYAPNIKOV, Gora	Russian Federation	282.74	168.00	450.74
YACOBY, Amir	Israel	500.00	224.00	724.00

Subtotal a) : 4,278.54

b) Participants

KISILEV, Mikhail	Russian Federation	n/a	160.00	160.00
POLYAKOV, D.	Russian Federation	n/a	324.00	324.00

Subtotal b) : 484.00

c) Other expenditures

Cefalù (Bar Main Building)	Coffee breaks	151.20
----------------------------	---------------	--------

Subtotal c) : 151.20

Total a) + b) + c) : 4,913.74

Prepared by : A. Ricci
Finance Office

Cleared by : A. Michelcich
Finance Officer



The Abdus Salam
International Centre for Theoretical Physics



CONFERENCE ON STRONGLY INTERACTING SYSTEMS AT THE NANOSCALE

8 - 12 August 2005


(Miramare - Trieste, Italy)

co-sponsored by:

ONRG – Office of Naval Research Global,

EOARD – European Office for Aerospace Research and Development of the USAF

I²CAM – International Institute for Complex Adaptive Matter



I²CAM International Institute For
Complex Adaptive Matter



The Abdus Salam International Centre for Theoretical Physics (ICTP, Trieste, Italy) is organizing a Conference on Strongly Interacting Systems at the Nanoscale to be held at the ICTP, from 8 to 12 August 2005. The Conference will be directed by Professors **Vladimir I. FALKO** (Lancaster Univ., Lancaster, U.K.), **Andrew John MILLIS** (Columbia Univ., New York, USA), and **Boris N. NAROZHNY** (ICTP, Trieste, Italy).

The objective of the Conference is to bring together the communities of two blooming fields of solid state physics: mesoscopics and strongly correlated systems. Both fields use similar analytical techniques, i.e. many body methods and quantum field theory. Both fields are now focusing on the issue of strongly interacting systems in the presence of disorder or in the regime of quantum chaos. Historically, the two communities were separated by the starting point in their respective approaches. In mesoscopic physics one typically starts with a disordered system in the absence of interactions and then tries to take into account interaction effects using perturbation theory (with few exceptions where non-perturbative treatment is possible). In the theory of strong correlations, the situation is reverse: a great deal is known about interactions in ideally clean systems (e.g., for systems with one spatial dimension several exact methods have been developed), while introduction of disorder renders exact solutions inapplicable. Thus people working in these two fields have a lot to learn from each other, and this Conference aims at exchanging this unique expertise.

The main topics of the conference will include: non-equilibrium phenomena; nanoparticles, single molecule conductors and Kondo effect; quantum criticality; cold atomic gases.

Participants are encouraged to contribute with a poster.

PARTICIPATION

Scientists and students from all countries that are members of the UN, UNESCO or IAEA can attend the activity. Although the main purpose of the Centre is to help researchers from developing countries through a programme of training activities within the framework of international cooperation, a limited number of students, post-doctoral scientists and researchers from developed countries are also welcome to attend. As the Conference will be conducted in English, participants must have an adequate working knowledge of that language.

As a rule, travel and subsistence expenses of the participants are borne by their home institutions. Every effort should be made by candidates to secure support for their fare (or at least half-fare). However, limited funds are available for some participants who are nationals of, and working in, a developing country, and who are not more than 45 years old. Such support is available only to those attending the entire Conference. There is no registration fee to attend this activity.

The closing date for the receipt of requests for participation is 10 MARCH 2005.

The **Application Form** is obtainable from the ICTP WWW server: <http://agenda.ictp.trieste.it/smr.php?1669> (which will be constantly up-dated) or from the activity Secretariat (smr1655@ictp.trieste.it). It should be completed, signed and returned before **10 March 2005 to:**

the Abdus Salam International Centre for Theoretical Physics
Conference on Strongly Interacting Systems at the Nanoscale (smr.1669)
Strada Costiera 11
I-34014 Trieste, Italy

Telephone: +39-040-2240305

E-mail: smr1669@ictp.trieste.it

Telefax: +39-040-224531

<http://agenda.ictp.trieste.it/smr.php?1669>

Trieste, June 2005

ORGANIZERS

Vladimir I. FALKO

(Lancaster Univ., Lancaster, U.K.)

Andrew John MILLIS

(Columbia Univ., New York, USA)

Boris N. NAROZHNY

(ICTP, Trieste, Italy)

PRELIMINARY LIST OF KEY PARTICIPANTS AND SPEAKERS

B. Altshuler

(Princeton Univ., USA)

N. Andrei

(Rutgers Univ., Piscataway, USA)

L. Balents

(Univ. California, Santa Barbara, USA)

V. Cheianov

(Univ. Lancaster, U.K.)

A. Chubukov

(Univ. Maryland, USA)

S. De Franceschi

(TASC, Trieste, Italy)

K. Flensberg

(Niels Bohr Inst., Copenhagen, Denmark)

L. Glazman

(Univ. of Minnesota, USA)

J.M.F. Gunn

(Univ. Birmingham, U.K.)

I. Lerner

(Univ. Birmingham, U.K.)

L. Levitov

(MIT, Boston, USA)

D. Loss,

(Univ. Basel, Switzerland)

C. Marcus

(Harvard Univ., Cambridge, USA)

A. Mirlin

(Univ. Karlsruhe, Germany)

C. Müller

(Univ. Bayreuth, Germany)

Yu. Nazarov

(Delft Univ., Netherlands)

M. Pustilnik

(Atlanta, USA)

G. Shlyapnikov

(Orsay, France)

M. Troyer

(ETH Zürich, Switzerland)

A. Tsvelik,

(Brookhaven Lab, Upton, USA)

A. Yacoby

(Weizmann Inst., Rehovot, Israel)

N. Zhitenev

(Bell Labs, Murray Hill, USA)



The Abdus Salam
International Centre for Theoretical Physics



Conference on Strongly Interacting Systems at the Nanoscale

Cosponsor(s): co-sponsored by ONRG - Office of Naval Research Global, EOARD - European Office of Aerospace Research and Development of the USAF, I2CAM - International Institute for Complex Adaptive Matter
Organizer(s): Directors: A.J. Millis, V.I. Falko, B.N. Narozhny
Trieste - Italy, 08 - 12 August 2005

Preliminary programme

Monday, 8 August 2005 (AM) MESOSCOPIC PHYSICS - Part I (Room: Adriatico Guest House Kastler Lecture Hall)
Chairperson: Prof. Vladimir FALKO

8 August 2005

08:30 - 10:20	Registration and Administrative Formalities
10:20 - 10:30	Opening
10:30 - 11:15	Leonid GLAZMAN / <i>Minnesota, USA</i> Energy-resolved inelastic scattering off a magnetic impurity
11:15 - 11:35	Aditi MITRA / <i>Columbia, USA</i> Non-equilibrium transport in quantum impurity models
11:35 - 12:20	Denis BASKO / <i>Princeton, USA</i> Metal-insulator transition in a weakly interacting many-electron system with localized single-particle states
12:20 - 13:05	Alexander MIRLIN / <i>Karlsruhe, Germany</i> Interacting electrons in disordered quantum wires: Localization and dephasing
13:05 - 16:05	--- Lunch break ---

Monday, 8 August 2005 (PM) QUANTUM TRANSPORT AND CORRELATIONS - Part I (Room:Adriatico Guest House Kastler Lecture Hall)

Chairperson: Prof. Natan ANDREI

8 August 2005

16:20 - 16:40 --- DISCUSSIONS during coffee break ---

16:40 - 17:25 **Amir YACOBY** / *Weizmann Inst., Israel*
Electrons in one-dimension: Spin-charge separation and localization

17:25 - 17:45 **Igor GORNY** / *Karlsruhe, Germany*
Interaction effects on magneto-oscillations in a 2D electron gas

17:45 - 18:05 **Emiliano PAPA** / *Austin, Texas, USA*
Quantum Hall line junctions, and gated edge states in quantum point constriction

18:05 - 18:50 **Andrey CHUBUKOV** / *Maryland, USA*
Non-analyticities in 2D and 3D Fermi liquids

18:50 - 19:50 --- Welcome Reception ---

Tuesday, 9 August 2005 (AM) CENTRAL SPIN PROBLEM (Room:Adriatico Guest House Kastler Lecture Hall)

Chairperson: Prof. Matthew HASTINGS

9 August 2005

09:00 - 09:45 **Daniel LOSS** / *Basel, Switzerland*
Electron spin decoherence in single and double quantum dots

09:45 - 10:30 **Yuly NAZAROV** / *Delft, Netherlands*
Nuclear magnetic field in quantum dots

10:30 - 11:00 --- DISCUSSIONS during coffee break ---

11:00 - 11:45 **Boris ALTSHULER** / *Princeton, U.S.A.*
To be confirmed

12:30 - 15:30 --- Lunch break ---

Tuesday, 9 August 2005 (PM) MESOSCOPIC PHYSICS - Part II (Room:Main Building Lecture Hall)

Chairperson: Prof. Boris NAROZHNY

9 August 2005

16:00 - 17:00 **Charles MARCUS** / *Harvard, U.S.A.*
Chairman: Prof. K.R. Sreenivasan
ICTP COLLOQUIUM Quantum circuits

17:00 - 17:30 (Room: Main Building, Lobby)
--- DISCUSSIONS during coffee break ---

17:30 - 17:50 **William COISH** / *Basel, Switzerland*
Hyperfine interaction in a two-electron double quantum dot

- 17:50 - 18:10** **Roberta CITRO** / *Salerno, Italy*
Spin and charge pumping in an interacting quantum wire
- 18:10 - 18:30** **Matthias ESCHRIG** / *Karlsruhe, Germany*
Interplay between ferromagnetic and superconducting proximity effects

Wednesday, 10 August 2005 (AM) STRONGLY CORRELATED SYSTEMS (Room:Adriatico Guest House Kastler Lecture Hall)

Chairperson: Prof. Alexei M. TSVELIK and Prof. Leon BALENTS

10 August 2005

- 09:00 - 09:45** **Leon BALENTS** / *Santa Barbara, U.S.A.*
Frustrating Mott physics of bosons on the triangular lattice
- 09:45 - 10:30** **Matthias TROYER** / *ETH, Zurich, Switzerland*
Stability of lattice super-solids
- 10:30 - 10:50** **Anna POSAZHENNIKOVA** / *Karlsruhe, Germany*
Under-screened Kondo physics of a spin 1 quantum dot
- 10:50 - 11:10** --- DISCUSSIONS during coffee break ---
- 11:10 - 11:55** **Natan ANDREI** / *Rutgers, U.S.A.*
Non-equilibrium transport in quantum impurity models (Bethe-Ansatz for open systems)
- 11:55 - 12:15** **Marcus KINDERMANN** / *Cornell, USA*
Transport through a clean interacting wire: exactly solvable limits
- 12:15 - 13:00** **Nick ZHITENEV** / *Bell Labs Lucent Techn., Murray Hill, USA*
Nano- and meso-scale molecular junctions: Control of chemical bonds and surface topography at metal-molecule interface
- 15:00 - 18:00** --- Excursion to Aquileia Ruins (Udine) ---

Thursday, 11 August 2005 (AM) COLD ATOMS AND STRONGLY CORRELATED SYSTEMS (Room:Adriatico Guest House Kastler Lecture Hall)

Chairperson: Prof. Akira FURUSKI

11 August 2005

- 09:00 - 09:45** **Cord MUELLER** / *Bayreuth, Germany*
Localization of matter waves in 2D-disordered optical potentials
- 09:45 - 10:30** **Georgiy SHLYAPNIKOV** / *Orsay, France*
Strongly interacting Fermi gases in the molecular and unitarity regimes
- 10:30 - 11:00** --- DISCUSSIONS during coffee break ---
- 11:00 - 11:45** **Vadim CHEIANOV** / *Lancaster, U.K.*
Exact results for the three-particle decay rate in a strongly correlated one-dimensional Bose gas
- 11:45 - 12:30** **Alexey TSVELIK** / *Brookhaven, USA*
Finite temperature correlation functions in integrable systems: exact results

12:30 - 15:30 --- Lunch break ---

16:20 - 16:40 --- DISCUSSIONS during coffee break ---

16:40 - 18:30 **Poster Session**

18:30 - 19:15 **P. Wiegman / *The University of Chicago, U.S.A.***
Informal Presentation: Quantum Shock Waves

Friday, 12 August 2005 (AM) QUANTUM TRANSPORT AND CORRELATIONS - Part II (Room:Adriatico Guest House Kastler Lecture Hall)

Chairperson: Prof. Andy MILLIS

12 August 2005

09:00 - 09:45 **Igor LERNER / *Birmingham, U.K.***
Decoherence and relaxation in charge qubit

09:45 - 10:30 **Akira FURUSAKI / *RIKEN, Japan***
Renormalization of impurity scattering in 1D interacting electron systems in magnetic field

10:30 - 11:00 --- DISCUSSIONS during coffee break ---

11:00 - 11:45 **Michael PUSTILNIK / *Georgia Tech., Atlanta, USA***
Quantum dot as a perfect spin filter

11:45 - 12:05 **Austin LAMACRAFT / *Princeton, U.S.A.***
Particle correlations in a fermi superfluid

12:05 - 12:50 **Silvano DE FRANCESCHI / *TASC, Trieste, Italy***
Quantum transport phenomena in nanowires and nanotubes

12:50 - 15:50 --- Lunch break ---

Friday, 12 August 2005 (PM) MESOSCOPIC PHYSICS - Part III (Room:Adriatico Guest House Kastler Lecture Hall)

Chairperson: Prof. Boris ALTSHULER

12 August 2005

16:20 - 16:40 --- DISCUSSIONS during coffee break ---

16:40 - 17:25 **Matthew HASTINGS / *Los Alamos, U.S.A.***
Slow polaron dynamics via non-equilibrium born-oppenheimer

17:25 - 18:10 **Tomas NOVOTNY / *Niels Bohr Institute, Copenhagen, Denmark***
Charge transport statistics of quantum shuttles

18:10 - 18:55 **Karsten FLENSBERG / *Niels Bohr Institute, Copenhagen, Denmark***
Electron-vibron correlations in molecular transistors

19:00 - 20:00 --- Closing Reception ---



The Abdus Salam
International Centre for Theoretical Physics



**Conference on
Strongly Interacting Systems at the Nanoscale
(8 - 12 August 2005)**

co-sponsored by
ONRG – Office of Naval Research Global,
EOARD – European Office of Aerospace Research and Development of the USAF,
I²CAM – International Institute for Complex Adaptive Matter

**ABSTRACTS
of
TALKS and POSTERS**

TALKS

Boris Altshuler (Princeton)

To be confirmed

Natan Andrei (Rutgers)

"Non-Equilibrium Transport in Quantum Impurities"

Leon Balents (Santa Barbara)

"Frustrating Mott physics of bosons on the triangular lattice"

Bosons near half-filling on the triangular lattice with repulsive interactions provide an interesting model of charge frustration. This talk describes a theory of this system based on proximity to a Mott transition, and formulated in terms of the elementary topological vortex excitations of the superfluid. Frustration leads to the "accidental" degeneracy of many different charge-ordered Mott states, which manifests itself as an emergent approximate $[U(1) \times SU(2)]$ symmetry in the theory. This leads to an unusual character of the excitations in the Mott phase, and a natural interpretation in that context of the recent numerical observations of a supersolid phase in such a model. A number of puzzling features of these numerical results can be explained by the proximity to the Mott insulator. Some simple physical cartoons of these phases will be presented, along with an explanation of how unconventional "deconfined" quantum criticality may arise in this context.

Denis Basko (Princeton)

"Metal-insulator transition in a weakly interacting many-electron system with localized single-particle states"

We consider low-temperature behavior of weakly interacting electrons in disordered conductors in the regime when all single-particle eigenstates are localized by the quenched disorder. We prove that in the absence of coupling of the electrons to any external bath dc electrical conductivity exactly vanishes as long as the temperature T does not exceed some finite value T_c . At the same time, it can be also proven that at high enough T the conductivity is finite. These two statements imply that the system undergoes a finite temperature metal-insulator transition, which can be viewed as Anderson-like localization of many-body wave functions in the Fock space. As a result, in the insulating electron-electron interaction alone is unable to cause the relaxation and establish the thermal equilibrium. As soon as some weak coupling to a bath is turned on, conductivity becomes finite even in the insulating phase.

Vadim Cheianov (Lancaster)

"Exact results for the three-particle decay rate in a strongly correlated one-dimensional bose gas"

*This work is motivated by recent experiment [B.Laburthe Tolra et al., Phys. Rev. Lett. **92**, 190401 (2004)], where the influence of reduced dimensionality on the three-particle decay rates in atomic condensates was investigated. Using the integrable Lieb-Liniger model for the description of the one-dimensional gas we derive an exact expression for the correlation function describing the three-particle collision rate. The answer is given in terms of the thermodynamic parameters of the LL model. It is valid for all values of the dimensionless coupling γ and contains the previously known results for the Bogoliubov and Tonks-Girardeau regimes as limiting cases. We also investigate finite size effects by calculating the correlation function for small systems of 3, 4 and 5 particles.*

Andrey Chubukov (Maryland)

"Non-analyticities in 2D and 3D Fermi liquids"

Roberta Citro (Salerno)

"Spin and charge pumping in an interacting quantum wire"

A study of the charge and spin pumping in an interacting one-dimensional wire is presented. It is shown that a spatially periodic potential, oscillating in time with frequency ω_0 acts as a quantum pump inducing a dc-current component at zero bias. The current generated by the pump is strongly affected by the interactions. It has a power law dependence on the frequency or temperature with the exponent determined by the interaction in the wire only, while the coupling to the pump affects the amplitudes. We also show that pure spin-pumping can be achieved, without assuming spin orbit coupling or the presence of a magnetic field.

William Coish (Basel)

"Hyperfine interaction in a two-electron double quantum dot"

Silvano De Franceschi (Trieste)

"Quantum Transport Phenomena in Nanowires and Nanotubes"

Nanostructured materials offer unique opportunities to create simple and tuneable electronic systems in which complex quantum phenomena can be investigated. In this talk I will discuss various aspects of quantum transport in three-terminal field-effect devices based on individual semiconductor nanowires and nanotubes.

I will consider first the case of quantum-dot nanostructures in which Coulomb blockade effects play a dominant role. A quantum dot confining a finite electronic spin can be regarded as an artificial magnetic impurity and it can give rise to Kondo effect. This phenomenon has been widely explored in semiconductor quantum dot devices. Here, I will report on the observation of a spin-less Kondo effect in carbon nanotubes. In this case, the role of spin is taken over by an orbital degeneracy arising from the two equivalent ways electrons can circle around the circumference of a nanotube.

I will then focus on semiconductor nanowires strongly connected to superconducting electrodes. Here Coulomb interactions are suppressed and superconducting correlations can be induced in the nanowire due to the proximity effect. Under these circumstances, the nanowires form superconducting weak links operating as mesoscopic Josephson junctions with electrically tunable coupling.

Matthias Eschrig (Karlsruhe)

"Interplay of ferromagnetic and superconducting proximity effects"

We present theoretical results on the interplay of magnetic and superconducting orders in mesoscopic ferromagnet-superconductor-hybrid structures. Induced spin-triplet correlations in such structures are shown to be important for both the ballistic and the diffusive limit. Whereas in the ballistic case the p-wave character of the triplet correlations dominates the physics, in the diffusive case the odd-energy s-wave triplet correlations lead to interesting effects. We propose to use the torque on a FSF tri-layer in an external magnetic field as a probe of the presence of triplet correlations in the superconducting phase.

Karsten Flensberg (Niels Bohr Institute Copenhagen)

"Electron-vibron correlations in molecular transistors"

I discuss coupling between electron transport and vibrational degrees of freedom in mesoscopic and molecular systems. The coupling gives rise several effects such as sidebands in the differential conductance, rectification due to polaron formation, and interesting interplay with the Kondo resonance.

Akira Furusaki (RIKEN)

“Renormalization of impurity scattering in 1D interacting electron systems in magnetic field”

I will discuss the renormalization of a single impurity potential in one-dimensional interacting electron systems in the presence of magnetic field. With the bosonization technique and Bethe ansatz solutions, the renormalization group flow diagram is determined for the amplitudes of scattering of up- and down-spin electrons by the impurity in a quantum wire and in the Hubbard model. It was found that in a strong magnetic field the interaction may suppress the backscattering of majority-spin electrons by the impurity potential in the vicinity of the weak-potential fixed point. This implies that in a certain temperature range the impurity becomes almost transparent for the majority-spin electrons while it is impenetrable for the minority-spin ones. The impurity potential can thus have a strong spin-filtering effect.

This is a work done in collaboration with T. Hikiyara and K.A. Matveev.

Leonid Glazman (Minnesota)

“Energy-resolved inelastic scattering off a magnetic impurity”

We investigate the loss of energy by an electron scattered off a magnetic impurity in a metal. If the initial electron energy E (measured from the Fermi level) is high compared to the Kondo temperature, then the scattering is predominantly inelastic. However, the characteristic energy loss in the scattering event is small compared to E and is determined by the Kondo energy scale or, at higher temperatures, by the Korringa relaxation rate. We find the full energy dependence of the corresponding scattering cross-section by relating it to the dissipative part of susceptibility of the magnetic impurity. Effects of a magnetic field and temperature on the energy-resolved scattering cross-section are fully characterized. This cross-section may be extracted from experiments with hot electrons in nanowires and quantum dots.

Igor Gornyi (Karlsruhe)

“Interaction effects on magneto-oscillations in a two-dimensional electron gas”

Matthew Hastings (Los Alamos)

“Slow Polaron Dynamics via Non-Equilibrium Born-Oppenheimer”

We consider the non-equilibrium dynamics of a molecular level interacting with local phonon modes in the strong coupling regime. We find that in an adiabatic regime when the electronic states react faster than the phonon modes it is possible to provide a fully non-perturbative treatment of the phonon dynamics including random noise and dissipation using a non-equilibrium Born-Oppenheimer approximation. The result shows intermittent switching between bi-stable states of the oscillator driven by an effective temperature.

Marcus Kindermann (Cornell)

“Transport through a clean interacting wire: exactly solvable limits”

The conductance through thin ballistic wires in the absence of electron interactions is quantized in units of the conductance quantum $2e^2/h$ (in case of a two-fold spin degeneracy). Several experiments on quantum point contacts and more recently also carbon nanotubes indicate, however, deviations from this quantization that are attributed to electron-electron interactions. The formation of a Wigner crystal has recently been proposed as their origin.

In this talk I will present a study of an interacting quantum wire in a related regime: that of the “Coulomb Tonks gas” of impenetrable electrons. It can be realized in ultra-thin wires, such as carbon nanotubes. We have studied transport through a finite-length Coulomb Tonks gas connected to bulk leads in various exactly solvable limits, both in and out of equilibrium. While we find a reduction of the conductance of such

a wire to e^2/h in all cases, the current in the wire does not exhibit any fluctuations at zero temperature. Most importantly, our model demonstrates that such a noise suppression does not require spin polarization of the wire. Instead we find that the predicted noiseless charge current is accompanied by pronounced spin current fluctuations. This suggests that current noise measurements performed on conductors with anomalously reduced conductance could give strong evidence for the mechanism of conductance reduction we have studied. Noise measurements at the "0.7-plateau" of quantum point contacts have already shown a tendency of noise reduction.

Austin Lamacraft (Princeton)

"Damping of breathing modes of a trapped Fermi gas near the superfluid transition"

One common probe of a trapped atomic gas is a measurement of the breathing modes excited by temporarily releasing the trap. Trap frequencies however display a rather smooth dependence on interaction strength, and deviations from free particle results are at most of order one. On the other hand, recent experiments on Fermi gases indicate singular behavior in the damping of the breathing modes. In this talk I will discuss the effect of superfluid fluctuations on the breathing modes near the transition temperature.

Igor Lerner (Birmingham)

"Decoherence and relaxation in charge qubit"

Daniel Loss (Basel)

"Electron spin decoherence in single and double quantum dots"

Charles Marcus (Harvard)

"Quantum Circuits"

Alexander Mirlin (Karlsruhe)

"Interacting electrons in disordered quantum wires: Localization and dephasing"

Aditi Mitra (Columbia)

"Non-equilibrium transport in quantum impurity models"

Cord Müller (Bayreuth)

"Localization of matter waves in 2D-disordered optical potentials"

The quantum physics of condensed matter can be studied with ultracold atomic gases in optical potentials that can almost be tailored at will. I will report theoretical results on the disorder-induced localization of matter waves in 2D speckle potentials. Using diagrammatic Green's function techniques, we calculate the diffusion constant for noninteracting matter waves from the microscopic description of the correlated potential. The weak localization correction is evaluated, and we give an estimate for the localization length at the crossover to the Anderson-localized regime which is shown to be accessible in current state-of-the-art experiments.

Yuly Nazarov (Delft)

"Nuclear magnetic field in quantum dots"

Tomas Novotny (Copenhagen)

"Charge transport statistics of quantum shuttles"

Emiliano Papa (Austin Texas)

"Quantum Hall line Junctions, and gated edge states in quantum point constriction"

I address in this talk the properties of quantum Hall line junctions, one-dimensional electron systems that occur near barriers between two-dimensional electron gases on quantum Hall plateaus.

Quantum Hall line junctions are described at low energies by generalized sine-Gordon models. I propose procedures that can be used to reliably estimate the parameters that characterize these models and apply them to several different physically relevant situations. Finally, I discuss a number of sine-Gordon model properties that are experimentally relevant for quantum Hall line junctions, including the magnitude of the charge gap, the Drude weight of the ac conductivity when the chemical potential lies outside the gap, and the temperature dependence of line junction transport properties.

Related but slightly different from the above, I will also talk about transport properties of edges formed in gated quantum point constrictions used in recent experiments of V. Pellegrini et al.. These experiments observe unusual G - V behavior at $\nu=1$ filling fractions, in contradiction with theoretical expectations. I discuss some of reasons for this happening and give some ideas and directions for future work.

Anna Posazhennikova (Karlsruhe)

"Underscreened Kondo physics of a spin 1 quantum dot"

We interpret the recent observation of a zero-bias anomaly in spin-1 quantum dots in terms of an underscreened Kondo effect. We argue that in the large temperature range the physics of a spin-1 QD is dominated by underscreened Kondo effect. General arguments, based on the asymptotic decoupling between the partially screened moment and the leads, predict a singular temperature and voltage dependence of the conductance G and differential conductance g , resulting in $dG/dT \sim 1/T$ and $dG/dV \sim 1/V$. Using a Schwinger boson approach, we show how these qualitative expectations are borne out in a detailed many body calculation.

Michael Pustilnik (Georgia Tech.)

"Quantum dot as a perfect spin filter"

Georgiy Shlyapnikov (Orsay)

"Strongly interacting Fermi gases in the molecular and unitarity regimes"

Matthias Troyer (ETH Zürich)

"Stability of Lattice Supersolids"

Alexey Tsvelik (Brookhaven)

"Finite temperature correlation functions in integrable systems: exact results"

*We propose an approach to the problem of finite temperature dynamical correlation functions in integrable one-dimensional models with a spectral gap. The approach is based on the analysis of the singularities of the operator matrix elements and is not model specific. For the long time, large distance asymptotics of the correlation functions we obtain a formula which, as a particular case, contains the expression for the dynamical susceptibility of Quantum Ising model suggested by Sachdev and Young, Phys. Rev. Lett. **78**, 2220 (1997).*

Amir Yacoby (Weizmann Institute)

"Electrons in one-dimension: spin-charge separation and localization"

Nick Zhitenev (Bell Labs Lucent Technologies - Murray Hill)

"Nano- and Mesoscale Molecular Junctions: Control of Chemical Bonds and Surface Topography at Metal-Molecule interface."

Using molecules in electronics has an enormous appeal. In the size hierarchy of nature, molecules stand just above atoms making them ideal ultimate choice for ever-shrinking electronic devices. Reaction chemistry offers vast diversity of molecular substructures and chemical transformations. However, wiring the molecules in a macroscopic circuit remains a challenging problem. In this talk, I present two approaches that we use to build small molecular structures. The first group of experiments is targeted toward wiring of a single or just a few molecules. We found that the conductance mechanisms observed in such ultra-small devices differ dramatically from predicted transport through molecules. The electronic states mediating the transport are never the expected electronic states of the molecules. To detect the conductance associated with the molecular states, we have developed high-yield process based on prefabricated nano-templates to screen the properties of larger molecular junctions with characteristic size of ~50-300 nm. The approach readily permits to experiment with the topography and the chemical bonding at metal-molecule interface and to control the metal diffusion through the layers. For the first time, we directly compare the properties of conjugated versus saturated molecules with the length ~ 2 nm. Surprisingly, the results show that the molecular states of both type of molecules display nearly undetectable conductance contrary to numerous calculations and experiments.

POSTERS

Shaffique Adam (Cornell, NY, USA)

Current induced Instabilities in nanomagnets

S. Adam, M. L. Polianski and P. W. Brouwer

Laboratory of Atomic and Solid State Physics Cornell University, Ithaca, NY 14853

A sufficiently large unpolarized current can cause spin-wave instabilities in thin nanomagnets with asymmetric contacts. The magnet dynamics close to onset of the instability is shown to be spin waves with elliptical motion. Dynamics beyond the instability is understood by numerically solving a discrete model that shows a transition from well-defined periodic orbits into non-ergodic and finally chaotic behavior. We investigate the effects of this crossover on physical observables like resistance.

Enrico Arrigoni (Graz, Austria)

Weak tendency to phase separation in electron-doped cuprates

Reza Asgari (I.P.M., Tehran, Iran)

Ground-state densities and pair correlation functions in parabolic quantum dots

We present an extensive comparative study of ground-state densities and pair distribution functions for electrons confined in two-dimensional parabolic quantum dots over a broad range of coupling strength and electron number. We first use spin-density-functional theory to determine spin densities that are compared with Diffusion Monte Carlo (9DMC) data. This accurate knowledge of one-body properties is then used to construct and test a local approximation for the electron-pair correlations. We find very satisfactory agreement between this local scheme and the available DMC data, and provide a detailed picture of two-body correlations in a coupling-strength regime preceding the formation of Wigner-like electron ordering.

Soraya Bachaoui (USTO, LEPM, Oran, Algeria)

Analysis of TL glow curves based on the model of two trappings levels application to ∞ -AL₂O₃

S.S. Bachaoui¹, R. Bouamrane^{1,2}, Nouredine Zekri^{1,3}

¹-Université Es-Senia Oran, Faculté de Médecine. Oran, Algeria ²-U.S.T.O., Département de Physique, L.E.P.M B.P.1505 El M'Naouar, Oran, Algeria. ³-U.S.T.O., Département de Physique, L.E.P.M B.P.1505 El M'Naouar, Oran, Algeria.

The dosimetric peak D' of thermoluminescence emitted from alpha-alumina (∞ -Al₂O₃) is numerically analysed with a model in which electron traps are continuously distributed. The model of a single and different trapping level were compared in describing the L glow curve D'. The model in which electron traps are presented with two continuously distributed electron or traps give the best fit trap parameters : 1) the gap between trapping levels ∞ and the characteristic depth of the trap distribution ∞ ; 2) the rates of recombination ∞ , retrapping ∞ and detrapping of the released electron ∞ . The procedure of the TL analysis using a Gaussian distribution is also reported in detail.

Ioan Baldea (Inst.Space Sciences, Bucharest, Romania)

Ioan Baldea and Lorenz S. Cederbaum

Effect of strong correlations on photoionization of quantum dot nanorings

We present exact numerical results indicating that ionization could be a useful tool to study electron correlations in artificial molecules and nanoarrays of metallic quantum dots (QDs). For nanorings consisting of Ag QDs of the type already fabricated, we demonstrated (I. Baldea and L.S. Cederbaum, Phys. Rev. Lett 89, 13303 (2002)) that the molecular orbital picture breaks down even for lowest energy ionization processes, in contrast to ordinary molecules. Our ionization results yield a transition point between localization and delocalization regimes in good agreement with various experimental data. The present results present a systematic analysis of the full ionization spectra in Ag QDs assembled in nanorings.

Yamina Bennabi (USTO, LEPM, Oran, Algeria)

Independent time Schrodinger equation in the case of complex potential in 1D ordered active system

Carlos Bolech Gret (Geneva, Switzerland)

Title to be confirmed

Cabo Montes de Oca Alejandro Genaro (La Habana, Cuba)

About the role of the 2D screening in HTSC

authors: Y. Vazquez-Ponce, D. Oliva and A. Cabo

The 2D screening is investigated in a framework of a simple single band square tight-binding model qualitatively resembling the known properties of the electronic structure in high temperature superconductors. The one loop coulomb kernel for the Bethe-Salpeter equation associated to two particles in the reduced single band approximation can be evaluated in a strong tight binding limit. The results indicate an intense screening of the hard Coulomb repulsion between two particles which becomes stronger and anisotropic when the fermi level approach half filling. Moreover, the dielectric function gets its maxima for quasi-momenta being near the corners of the Brillouin cell, that is, for dual spatial distances of the order of few unit cells. Therefore, a mechanism seems to be detected which could explain the existence of the extremely small Cooper pairs in these materials as bounded anisotropic pairs formed by residual super-exchange or phonon interactions.

Carlo Canali (Kalmar, Sweden)

Electron-magnon coupling and non-linear tunneling transport in magnetic nanoparticles

Single-electron tunneling experiments[1] on ultra-small magnetic nanoparticles have shown that the excitations of spin collective modes, or magnons, strongly influence transport in the nonlinear regime. A recent microscopic analysis[2] of the elementary excitations in ferromagnetic nanoparticles has pointed out that for particle sizes relevant to these experiments, the spin collective modes are likely to couple strongly to discrete particle-hole excitation by means of the spin-orbit interaction. In this paper we study nonlinear transport within a model Hamiltonian where quasi-particle excitations scatter off boson modes describing the ferromagnetic collective excitations. The model employed to describe the isolated nanoparticle is a two-level system familiar in quantum optics, which can be solved exactly. Our analysis of quantum transport in the regime of weak coupling to the external electrodes is based on a rate-equation formalism for the nanoparticle occupation probability. For strong electron-boson coupling and when the bare quasi-particle level spacing is in resonance with the boson frequency, we find that the tunneling conductance as a function of bias is characterized by fine structure related to transitions between the many-body states of the system. Under certain circumstances, negative differential conductance is also observed.

Hossein Cheraghchi (Sharif Univ., Tehran, Iran)

Localization properties of one dimensional off-diagonal disorder near the band center

The localization behavior of the one dimensional Anderson model with correlated and uncorrelated purely off-diagonal disorder is being studied. Using the transfer matrix method, we derive an analytical expression for the localization length in terms of the pair correlation function at the middle of the band. It is proved that a localization-delocalization transition can occur for long-range correlated hopping disorder with Hurst exponent ($H > 1/2$), when the variance of the logarithm of hopping " $\ln(t)$ " is kept fixed with the system size N . Based on numerical calculations, finite size scaling relations are postulated for the localization length near the band center ($E = 0$) in terms of the system parameters: E, N, H , and $\ln(t)$. In this letter, we have investigated the 1D Anderson model with correlated and uncorrelated hopping disorder exactly analytically at $E=0$ (Fermi level), and numerically at other energy values near the band center. We find that regardless of the probability distribution of hopping terms, in the case of uncorrelated disorder, in agreement with [2], but in contrast with the calculation of Ref.[1], the $E=0$ state is anomalously localized ($\ln(\text{localization}) \propto N^{1/2} \ln(t)$). In the correlated disordered case at zero energy, we derive an analytical expression for the localization length in terms of the pair correlation function. In the case of a Log Normal distribution function of hopping disorder with normalized long-range correlations, we prove that there is a localization-delocalization transition which has the same critical exponent as the diagonal disorder case $H_c = 1/2$ [4] for all energies near the band center. This is in contrast with the numerical studies of Ref. [3] which concluded

that $H_c = 0$. Here H_c is the critical value of the Hurst exponent. The localization length is shown to have a power law behavior versus size at the band center. We will show that the localization properties at $E=0$ can be extended to other energies around the band center, if the size is smaller than a critical length, while systems with a size larger than the critical length are in the localized regime.

Chung-Hou Chung (Karlsruhe, Germany)

Critical properties and quantum phase transitions of the Bose-Fermi Anderson model:
application to the Coulomb Blockade of a noisy quantum dot

Anna Ciechan (Lublin, Poland)

Finite size corrections in the two-level BCS model

The properties of nanoscale materials differ from those observed in bulk systems due to discrete structure of their energy spectrum. In this work the small superconducting grains modeled by two level system has been studied. The finite size corrections to the ground state energy, the average number of particles in each level and other characteristics of the system has been studied by many direct solution of the Richardson's model. We compare our results with those found by other techniques.

Ivan Dmitriev (Ioffe Inst., St. Petersburg, Russia)

Recent progress in the theory of the microwave-induced phenomena in a 2D electron gas

Agnieszka Donabidowicz (Lublin, Poland)

Thermoelectric power of the asymmetrically coupled quantum dot

We investigate the thermoelectric power of the quantum dot which is asymmetrically coupled to external leads. To account for the strong correlation effects we use the equation of motion technique for the nonequilibrium Keldysh Green's functions. We determine temperature dependence of the thermopower for systems with various Coulomb interactions, several asymmetric couplings to the leads and different positions of the on dot energy levels. Influence of the Van Hove singularities in the density of states is also discussed.

Markus Garst (Univ. Minnesota, Minneapolis, USA)

Inelastic electron scattering off magnetic impurities

We study inelastic scattering of energetic electrons off a Kondo impurity. If the energy E of the incoming electron (measured from the Fermi level) exceeds significantly the Kondo temperature T_K the differential inelastic cross-section $\sigma(E, \omega)$, {i.e.}, the cross-section characterizing scattering of an electron with a given energy transfer ω , is well-defined. We show that $\sigma(E, \omega)$ factorizes into two parts. The E -dependence of $\sigma(E, \omega)$ is logarithmically weak and is due to the Kondo renormalization of the effective coupling. We are able to relate the ω -dependence to the spin-spin correlation function of the magnetic impurity. Using this relation, we demonstrate that in the absence of a magnetic field the dynamics of the impurity spin causes the electron scattering to be inelastic at any temperature. At temperatures T low compared to the Kondo temperature T_K , the cross-section is strongly asymmetric in ω and has a well-pronounced maximum at $\hbar\omega \sim T_K$. At $T \gg T_K$, the dependence σ vs. ω has a maximum at $\omega=0$; the width of the maximum exceeds T_K/\hbar and is determined by the Korringa relaxation time of the magnetic impurity. Quenching of the spin dynamics by an applied magnetic field results in a finite elastic

component of the electron scattering cross-section. The differential scattering cross-section may be

extracted from the measurements of relaxation of hot electrons injected in conductors containing localized spins.

Federica Haupt (Univ. Genova, Italy)

Shot noise in charge and magnetization currents in a quantum ring

The shot noise of a quantum ring connected to leads via tunneling barriers shows interesting features related to the interplay between Coulomb Blockade effects, Luttinger Liquid (LL) correlations and Aharonov-Bohm. Both charge-and angular-resolved noise correlators have been studied and have been found to have distinctly different behaviours. Noise in the total current is due to the discreteness of the electron charge and can become super-Poissonian as result of electron interaction. In contrast, the noise of the angular magnetization current in the ring is comparatively insensitive to the interaction, except if an inversion of the populating ratio of the angular states is realized. The characteristic time scales in different regimes are studied by a Monte-Carlo simulation.

Manuel Houzet (SPSMS/DRFMC, Grenoble, France)

Quantum charge fluctuations in a superconducting grain

M. Houzet (1,2), D.A. Pesin (3), A.V. Andreev (3), L.I. Glazman (1)

1 Theoretical Physics Institute, University of Minnesota, Minneapolis, MN 55455, USA

2 Commissariat à l'Energie Atomique, DSM/DRFMC/SPSMS, 38054 Grenoble, France

3 Department of Physics, University of Washington, Seattle, Washington 98195-1560, USA

We consider charge quantization in a small superconducting grain that is contacted by a normal-metal electrode and is controlled by a capacitively coupled gate. At zero temperature and zero conductance G between the grain and the electrode, the charge Q as a function of the gate voltage V_g changes in steps. The step height is e if the superconducting gap of the grain is smaller than its charging energy. Quantum charge fluctuations at finite conductance remove the discontinuity in the dependence of Q on V_g and lead to a finite step width, proportional to G^2 . The resulting shape of the Coulomb blockade staircase is of a novel type. The grain charge is a continuous function of V_g while the differential capacitance, dQ/dV_g , has discontinuities at certain values of the gate voltage. We determine analytically the shape of the Coulomb blockade staircase also at non-zero temperatures.

Ki-Seok KIM (KIAS, Seoul, Korea)

"Effect of nonmagnetic disorder on criticality in the "dirty" $U(1)$ spin liquid."

This article can be found in "cond-mat/0501656," and accepted in Phys. Rev. B.

*"We investigate the effect of nonmagnetic disorder on the stability of the algebraic spin liquid (ASL) by deriving an effective field theory, nonlinear σ model ($NL\sigma M$). We find that the anomalous critical exponent characterizing the criticality of the ASL causes an anomalous gradient in the $NL\sigma M$. We show that the sign of the anomalous gradient exponent or the critical exponent of the ASL determines the stability of the "dirty" ASL. A positive exponent results in an unstable fixed point separating delocalized and localized phases, which is consistent with our previous study [Phys. Rev. B **70**, 140405 (2004)]. We find power law suppression for the density of spinon states in contrast to the logarithmic correction in the free Dirac theory. On the other hand, a negative exponent destabilizes the ASL, causing the Anderson localization. We discuss the implication of our study in the pseudogap phase of high T_c cuprates."*

Mikhail Kiselev (Ludwig Maximilians Univ., Munich, Germany)

The Interplay of Spin and Charge Channels in Zero Dimensional System

M.Kiselev and Yuval Gefen

We present a full fledged quantum mechanical treatment of the interplay between the charge and spin zero-mode interactions in quantum dots. Quantum fluctuations of the spin-mode suppress the Coulomb blockade and give rise to non-monotonic behavior of the tunneling DoS. They also greatly enhance the dynamic susceptibility. Transverse fluctuations become important as one approaches the Stoner instability. We discuss both transport through the quantum dot and the dynamic magnetic response functions of the qot.

Dmitry Lobaskin (Univ. Augsburg, Germany)

"Non-Equilibrium Kondo Model with a Factorized Initial State"

We present results for a non-equilibrium magnetization and spin-spin correlation functions at the Toulouse point and in the experimentally relevant Kondo limit of the non-equilibrium Kondo model. Non-equilibrium in the original Kondo model is introduced by the initially prepared Eigenstate of the impurity spin. Such initial non-equilibrium states can e.g. be realized in quantum dot experiments with time-dependent gate voltages. We also present results for a buildup of the Kondo resonance in the non-equilibrium quasi-particle spectral density of a quantum dot subjected to initial preparation.

Another important result is the violation of the fluctuation-dissipation theorem in such a non-equilibrium system. The fluctuation-dissipation theorem (FDT) plays a fundamental role in understanding quantum many-body problems. However, its applicability is limited to equilibrium systems and it does in general not hold in non-equilibrium situations. This violation of the FDT is an important tool for studying non-equilibrium physics. We derive exact analytical results at the Toulouse point, and results within a controlled approximation in the Kondo limit, which allow us to study the FDT violation on all time scales. A measure of the FDT violation is provided by the effective temperature, which shows initial heating effects after switching on the perturbation, and then exponential cooling to zero temperature as the Kondo system reaches equilibrium.

Ricardo E. Marotti (Inst.Fisica, Montevideo, Uruguay)

"Optical properties of copper and silver nanowires embedded in a nanoporous alumina template"

R. E. Marotti¹, S. Green^{1,2}, A. Cortes³, G. Riveros^{3,4}, H. Gómez³, E. A. Dalchiele¹*

¹ Instituto de Física, Facultad de Ingeniería, Universidad de la República, Montevideo, Uruguay.

² Department of Physics, Umeå University, Umeå, Sweden.

³ Instituto de Química, Facultad de Ciencias, Universidad Católica de Valparaíso, Valparaíso, Chile.

⁴ Departamento de Química, Facultad de Ciencias, Universidad de Chile, Santiago de Chile, Chile.

The optical properties of metallic nanowires embedded in a dielectric porous template are investigated. The porous dielectric templates used were nanoporous alumina membranes, while the metallic nanowires under study were both grown of copper and silver. The optical properties of the single membranes (unfilled pores) and the resulting composite material (for both copper and silver) are compared between them.

The porous alumina membranes can be prepared by electrochemical anodization of high purity aluminium foil, but they are also commercially available. The details on the anodization process allows to control the pore distribution of the resulting porous alumina templates, mainly the mean porous diameter can be vary between few tens of nanometers to few hundreds of nanometers. A good regular hexagonal distribution of these pores is also obtainable. The metallic wires are grown inside the pores by electrochemical deposition [1] Copper and silver were chosen as the metallic materials because of they very high plasma frequency to loss energy ratio (in comparison to other metals), that would allow to control the plasmon frequency of the metallic nanostructure.

The resulting sample structural, morphological and chemical properties were studied by X-ray Diffraction (XRD), Scanning Electron Microscopy (SEM) and Energy Dispersive Spectroscopy (EDS), respectively. The optical properties of the composite material were studied mainly by diffuse reflectance spectroscopy (DRS). As the samples can show anisotropic properties, several geometric angular configurations were used. The results for the metallo-dielectric composite material can be understood in a first approximation by a simple Bruggeman model, reflecting the influence of each metal in the properties of the composite materials.

[1] -

"Crystallographically-oriented single-crystalline copper nanowire arrays electrochemically grown into nanoporous anodicalumina templates", G. Riveros, H. Gómez, A. Cortes, R. E. Marotti, E. A. Dalchiele, accepted for publication in Applied Physics A: Materials Science and Processing. (DOI: 10.1007/s00339-004-3112-1).

Pedro A. Orellana (Univ. Catolica del Norte, Antofagasta, Chile)

"Kondo effect in side coupled double quantum-dot molecule"

Gustavo A. Lara, Pedro A. Orellana, Julio M. Yáñez and Enrique V. Anda, Departamento de Física, Universidad de Antofagasta, Casilla 170, Antofagasta, Chile, Departamento de Física, Universidad Católica del Norte, Casilla 1280, Antofagasta, Chile, Dep. de Física, P. U. Católica do Rio de Janeiro, C.P. 38071-970, Rio de Janeiro, RJ, Brazil

The Kondo effect in quantum dots has been extensively studied in the last years. The quantum dots allow to study systematically the quantum-coherence many-body Kondo state, due to the possibility of continuous tuning the relevant parameters governing the properties of this state, in equilibrium and nonequilibrium situations. Recently Kondo effect has been studied in double quantum dot molecule in series. This system allows the study of the many body molecular Kondo states in equilibrium and nonequilibrium situation. The type of coupling between the quantum dots determines the character of the electronic states and the transport properties of the artificial molecule. In the tunneling regime, the electronic states are extended across the entire system and form a coherent state based on the bonding or anti-bonding levels of the quantum dots.

An alternative configuration consists of a side-coupled quantum dots attached to a perfect quantum wire (QW). This structure is reminiscent of T-shaped quantum wave guides known as electron stub tuners. In this case, the quantum dots acts as scattering centers in close analogy with the traditional Kondo effect. Recent electron transport experiments showed that Kondo and Fano resonances occur simultaneously. Multiple scattering of traveling electronic waves on a localized magnetic state are crucial for a formation of both resonances. The condition for the Fano resonance is the existence of two scattering channels: a discrete level and a broad continuum band.

In this work we study the transport properties of a double quantum dot molecule side attached to a quantum wire in the Kondo regimen. We use the finite-U slave boson mean-field approach which was initially developed by Kotliar and Ruckenstein and used later by Bing Dong and X. L. Lei to study the transport through coupled double quantum dots connected to leads. We have found that the transmission spectrum shows a structure with two antiresonances localized at the bonding and antibonding energies of the quantum-dot molecule, and one resonance at the site energy of the outside quantum-dot. Moreover the density of states shows that the outside quantum-dot develops a strong Kondo effect with the quantum-wire and its Kondo temperature depends strongly on the interdot coupling tunneling. The linear conductance reflects the transmission spectrum properties as the gate potential is varied.

Alexander Ossipov (Germany/present ICTP)

"T-duality in the SUSY theory of disordered quantum systems"

Pedro Pereyra (Univ. Aut6noma Metropolitana - Azcaputzalco, Mexico City)

Spin dynamics through homogeneous magnetic superlattices

P. Pereyra and J.L. Cardoso

We study the spin evolution through a homogeneous magnetic superlattice. We use the transfer-matrix approach to analyze the resonant band structure and to follow the spin tunneling process. Interesting features and spin transitions can be observed on the wave function's amplitude and phase along the superlattice. Clear signatures of coherent spin mixing and coherent spin flipping processes can be observed.

Interacting modes induced by transverse electric field in 2DEG

P. Pereyra and A. Anzaldo

We show here that a transverse electric field, as in field-effect devices, leads to interesting interfering phenomena in the electronic transport. Using the Sylvester Theorem for matrix-valued functions, we study the transmission properties of a multi-propagating modes (multichannel) quasi-two-dimensional electron gas in the presence of a channel mixing transverse electric field. We observe interesting resonant coupling effects, which explain the fundamentals of the giant superlattice-conductance as well as giant superlattice-resistance effects.

Maria T. Perez Maldonado (Univ. Havana, Cuba)

"Electron quasienergies in a semiconductor superlattice under an in-plane magnetic field and laser radiation"

M. T. Pérez-Maldonado, C. Rodríguez-Castellanos, Department of Theoretical Physics, Faculty of Physics, University of Havana, San Lázaro y L, Vedado, CP 10400, La Habana, Cuba

The availability of intense laser sources has made it possible to study a wide range of nonlinear phenomena in atoms, molecules, plasmas and solids under the action of intense electromagnetic radiation. These studies have been extended in the last decade to semiconductor heterostructures under intense electric fields, originated by an applied ac voltage or a high-intensity infrared laser. At frequencies of the order of 1 THz, typical of free-electron lasers, photon energies are comparable to the energy separation between electronic levels and heterostructures couple strongly to the electromagnetic field. A number of nonlinear phenomena such as collapse of minibands, multiphoton absorption, photon-assisted tunneling, dynamical electron localization, formation of electric field domains, negative absolute conductance, and negative differential resistivity have been observed, explained or predicted in these systems. We have previously shown that when an in-plane magnetic field is applied, these nonlinear effects appear in superlattices for lower radiation intensities, since the magnetic field introduces a new characteristic frequency (the cyclotron frequency) in the system under consideration, and an enhanced effect of the external electromagnetic field is expected near the resonance conditions. Additionally, the magnetic field couples the motion in the directions perpendicular to it and, therefore, a similar result should be observed for waves polarized in any direction perpendicular to the magnetic field. In this work we consider the motion of an electron in a semiconductor superlattice, undergoing the combined action of a static magnetic field perpendicular to the growth direction and intense electromagnetic radiation. Exact numerical solutions of the time-dependent Schrodinger equation are found. Quasienergies are calculated as function of the cyclotronic orbit center position for different values of the radiation intensity. The features of the resulting magnetic subbands are studied, and the occurrence of band suppression and dynamic localization is discussed. The results are compared with those previously calculated in the Kramers-Henneberger approximation.

Alexander P. Protogenov (RAS, Nizhny Novgorod, Russia)

"Toroid current states in doped antiferromagnetic insulators"

The free energy bounds for inhomogeneous current states in doped antiferromagnetic insulators and spatial configurations of spin and charge degrees of freedom in lightly and heavily underdoped phases of this strongly correlated electron system are considered. It is shown that states are characterized by a small parameter of geometric origin, which determines the degree of packing in the knots of filament many folds of the order parameter distributions. We found a hierarchy of the spatial scales for flat knots, which gives rise to a free energy gain. A toroid moment in an underdoped state is found for the first time. It is shown that in the percolation picture of charge density distributions, that surround antiferromagnetic nanoclusters, the optimal level of the hole density is in qualitative agreement with the experimentally observed value.

Abdulla Rakhimov (Inst. Nuclear Physics, Tashkent, Uzbekistan)

Ginzburg Landau Theory Of Superconductivity: Beyond The Post Gaussian Approximation

The post Gaussian effective potential in $D=3$ and $D=2+2\epsilon$ are evaluated for the Ginzburg-Landau theory of superconductivity. It is shown that, the next order correction to the Gaussian approximation of the Ginzburg-Landau parameter κ is significant. This strongly indicates that strong correlation plays dominant role in high T_c superconductivity. In $D=2+2\epsilon$ fractal dimensions Ginzburg Landau parameter turned out to be sensitive to ϵ and the contribution of the post Gaussian term is larger than that for $D=3$. Adjusting ϵ to the recent experimental data on $\kappa(T)$ for high T_c cuprate superconductor $Tl_2Ca_2Ba_2Cu_3O_{10}$ (Tl-2223), we found that $\epsilon=0.21$ is the best choice for this material. These results clearly show that, in order to understand high T_c superconductivity, it is necessary to include the fluctuation contribution as well as the contribution from the dimensionality of the sample. The method gives a theoretical tool to estimate the effective dimensionality of the samples.

Mark Rudner (MIT, Massachusetts, USA)

"Dynamic Polarization of Nuclear Spins in Quantum Dots"

Mark Rudner and Leonid Levitov, Massachusetts Institute of Technology

We investigate dynamic nuclear polarization produced by the hyperfine interaction in double quantum dot systems with spin-blocked electron transport. Under certain conditions, coupled quantum dots can be tuned to a so-called spin-blockade regime in which Pauli exclusion prevents electronic current from flowing through the double dot system in one direction. We consider the case of two dots where the following states are well separated in energy from all others: 1) one electron localized in the lowest spatial orbital of the second dot, 2) two electrons localized in the lowest spatial orbital of the second dot with singlet spin configuration, and 3) one electron localized in the lowest spatial orbital of each dot with either singlet or triplet spin configuration. We label these states by $(0, 1)$, $(0, 2)_s$, $(1, 1)_s$ and $(1, 1)_t$, respectively. The numbers inside the parentheses indicate the number of electrons located on each dot, and the subscript specifies the singlet or triplet spin configuration. These conditions are motivated by the experiments of Tarucha et al. in which current is believed to flow via a 3-stage cycle: $(0, 1) \rightarrow (1, 1)_s \rightarrow (0, 2)_s \rightarrow (0, 1) \dots$. Spin-blockade occurs when the system occupies the spin-triplet state $(1, 1)_t$ at the second stage of the cycle. From this state, $(0, 2)_s$ cannot be reached without a spin-flip. Leakage current is due either to slow inelastic/cotunneling processes which avoid the $(0, 2)_s$ state completely, or to spin-flip processes arising from hyperfine or spin-orbit interactions that mix the $(1, 1)_t$ and $(1, 1)_s$ states.

In the case where the hyperfine interaction nearly resonantly couples the singlet and triplet states, we find that the spin-blockade is partially lifted and that the zero net-polarization nuclear spin state becomes unstable. At zero field, nuclear dipole-dipole interactions disorder the nuclear spins and prevent build up of polarization. At small applied field the longitudinal part of these interactions is quenched and dynamic polarization is possible. We study the nature and strength of this zero-polarization instability, and the dynamical behavior of the dynamical magnetic moment.

Funding for this work was provided by the DOE CSGF Program under grant number DEFG02-97ER25308

Nicholas Sedlmayr (Univ. Birmingham, U.K.)

"The tunneling density of states in a blockaded quantum dot"

We present a calculation of the tunneling density of states for a weakly coupled quantum dot. It is well known that at the degeneracy point in the Coulomb blockade regime the density of states in the dot is suppressed. However, following more careful analysis we find that this suppression is only partial. In a region of order the charging energy E_c centered on $\mu + eV_g$ the density of states is half the usual value instead of zero. Here V_g refers to the applied gate voltage tuned to one of the degeneracy points. Tuning the gate voltage away from this value we find the density of states is zero about $\mu + V_g$, as it was previously found to be.

Khaled Senouci (Univ. Mostaganem, Algeria)

" Nonlinear interactions effects on resonant states of Random Dimer Model"

It was well established two decades ago that all electronic states of one-dimensional (1D) disordered systems are exponentially localized in the absence of external fields irrespective of the amount of the disorder [1]. However, recently some models of disorder introducing the correlation [2,3] and the nonlinearity [4,5] have been shown to exhibit extended states at particular energies. These discrete extended states have been observed recently in the experiment with GaAs-AlxGa1-xAs random superlattices [6] and in nonlinear disordered media [7]. We use the Kronig-Penney model to study the effect of non-linear interaction on the transmissive properties of both disordered chains and random dimer model. In the disordered case, we found that the transmission decays as $T \sim L^{-\alpha}$ around the band edge of the corresponding periodic system. The exponent is independent of the strength of the nonlinearity in the case of disordered barrier potentials, while it varies with this strength for mixed potentials. In the case of chains with correlated disorder (Random Dimer Model), we found that the width of the resonances increase or decrease when the nonlinear interaction is introduced depending on its sign. We also found that this width has the same behaviour as a function of system length $\alpha \sim 1/L^{1/2}$ as in the linear case.

References: [1] P. W. Anderson, D. J. Thouless, E. Abrahams, and D. Fisher, Phys. Rev. B 22, 3519 (1980). [2] A. Sanchez, E. Macia, and F. Dominguez-Adame, Phys. Rev. B 49, 147 (1994). [3] P. Phillips and H. L. Wu, Science 252, 1805 (1991). [4] R. Bourbonnais and R. Maynard, Phys. Rev. Lett. 64, 1397 (1990); Y. S. Kivshar, S. A. Gredekskul, A. Sanchez, and L. Vasquez, ibid. 64, 1693 (1990); Y. Kivshar, Phys. Lett. 173A, 172 (1993). [5] M. I. Molina and G. P. Tsinaris, Phys. Rev. Lett. 73, 464 (1994). [6] V. Bellani, E. Diez, R. Hey, L. Toni, L. Tarricone, G. B. Parravicini, F. Dominguez-Adame, and R. Gomez-Alcala, Phys. Rev. Lett. 82, 2159 (1999). [7] V. A. Hopkins, J. Keat, G. D. Meegan, T. Zhang, and J. D. Maynard, Phys. Rev. Lett. 76, 1102 (1996).

Razvan Teodorescu (Columbia Univ., USA)

" Dissipation and disorder effects in the discrete BCS model"

Igor Aleiner and Razvan Teodorescu

The algebro-geometric solution for the reduced BCS model describing small superconducting Al grains is investigated. The solution is derived using methods from the theory of integrable systems. Fluctuations of the spectrum induced by stochastic external fields are considered in the framework of random matrix theory. Incorporating the effects of these fluctuations through the averaging principle leads to a modified evolution equation, in general not integrable. Estimates for the relaxation time for the soliton-type solutions of Richardson-Gaudin models are computed.

Misha Turlakov (Columbia Univ., USA)

" Coulomb and tunneling effects in regular granular metal arrays"

Gonzalo Usaj (Centro Atomico Bariloche, Argentina)

" Tuning the non-local spin-spin interaction between quantum dots with a magnetic field"

We describe a device where the non-local spin-spin interaction between quantum dots (QDs) can be turned on and off with a small magnetic field [1]. The setup consists of two QDs at the edge of two-dimensional electron gases (2DEGs). The QDs' spins are coupled through a RKKY-like interaction mediated by the electrons in the 2DEGs. A magnetic field B_z perpendicular to the plane of the 2DEG is used as a tuning parameter. When the cyclotron radius is commensurate with the interdot distance, the spin-spin interaction is setup allows for several dots to be coupled in a linear arrangement and it is not restricted to nearest-neighbors interaction. In addition, when spin-orbit coupling in the 2DEGs is included, the setup allows to dynamically change the $\textit{symmetry}$ of the effective spin-spin Hamiltonian [2]. That is, the interaction can be changed from Ising-like to Heisenberg-like and vice versa.

[1] G. Usaj, P. Lustemberg, and C. A. Balseiro, *Phys. Rev. Lett.* 94, 036803 (2005)

[2] G. Usaj and C. A. Balseiro, *cond-mat/0506414*

Emmanuel O. Yewande (Univ. Göttingen, Germany)

" Ripple motion in a simulated model of surface sputtering"

Recently the ripple-like nanostructures, that arise as a result of oblique incidence ion bombardment of solid surfaces, have been observed to propagate with a velocity that scales with the wavelength as $v \sim \lambda^{-1.5}$ (1), whereas linear continuum theory predicts an exponent of -2 (2). We study this ripple behaviour by means of a discrete Monte Carlo model of the sputtering process (3). We found an exponent -2.18 , in good agreement with the continuum theory. In addition, we found that the ripple velocity depends strongly on the temperature; and also vanishes ahead of the periodic ripple pattern at high effective temperatures (4).



The Abdus Salam
International Centre for Theoretical Physics



Activity SMR: **1669**

Conference on Strongly Interacting Systems at the Nanoscale

**8 August 2005 - 12 August 2005
Trieste - ITALY**

co-sponsored by:

**ONRG - Office of Naval Research Global
EOARD - European Office of Aerospace Research and Development of the USAF
I2CAM - International Institute for Complex Adaptive Matter**

Total Number of Visitors: 137

Final List of Participants

No.	NAME and INSTITUTE	Nationality	Function
DIRECTOR		Total number in this function: 3	
1.	FALKO Vladimir Research Field : Research Topic : Permanent Institute: University of Lancaster Department of Physics LA1 4YB Lancaster UNITED KINGDOM Permanent Institute e mail v.falko@lancaster.ac.uk	UNITED KINGDOM	DIRECTOR
2.	MILLIS Andrew John Research Field : Research Topic : Permanent Institute: Columbia University Department of Physics 538 West 120th Street New York NY 10027 UNITED STATES OF AMERICA Permanent Institute e mail millis@phys.columbia.edu	UNITED STATES OF AMERICA	DIRECTOR
3.	NAROZHNY Boris Research Field : Research Topic : Permanent Institute: The Abdus Salam International Centre for Theoretical Physics Condensed Matter Section Strada Costiera 11 34014 Trieste ITALY Permanent Institute e mail narozhny@ictp.trieste.it	RUSSIAN FEDERATION	DIRECTOR

No.	NAME and INSTITUTE	Nationality	Function
CONFERENCE SPEAKER		Total number in this function: 20	
4.	ALTSHULER Boris L. Research Field : Research Topic : Permanent Institute: N.E.C. Research Institute Inc. 4 Independence Way NJ 08540 Princeton UNITED STATES OF AMERICA Permanent Institute e mail BLA@RESEARCH.NJ.NEC.COM	UNITED STATES OF AMERICA	CONFERENCE SPEAKER Present institute: Princeton University Department of Physics Jadwin Hall P.O. Box 708 Princeton NJ 08544 United States of America Present Institute e mail bla@feynman.princeton.edu Until when: 31 August 2005
5.	ANDREI Natan Research Field : Research Topic : Permanent Institute: Rutgers, the State University of New Jersey Department of Physics and Astronomy 136 Frelinghuysen Road Piscataway NJ 08854-8019 UNITED STATES OF AMERICA Permanent Institute e mail natan@physics.rutgers.edu	UNITED STATES OF AMERICA	CONFERENCE SPEAKER
6.	BALENTS Leon M. Research Field : Research Topic : Permanent Institute: University of California At Santa Barbara Department of Physics CA 93106 Santa Barbara UNITED STATES OF AMERICA Permanent Institute e mail balents@physics.ucsb.edu	UNITED STATES OF AMERICA	CONFERENCE SPEAKER

No.	NAME and INSTITUTE	Nationality	Function
7.	CHEIANOV Vadim Research Field : Research Topic : Permanent Institute: University of Lancaster Department of Physics LA1 4YB Lancaster UNITED KINGDOM Permanent Institute e mail cheianov@nordita.dk	RUSSIAN FEDERATION	CONFERENCE SPEAKER
8.	CHUBUKOV Andrey Vadimovich Research Field : Research Topic : Permanent Institute: University of Maryland Department of Physics Condensed Matter Theory Center 2115 Physics Building, Maryland 20742 College Park UNITED STATES OF AMERICA Permanent Institute e mail chubukov@umd.edu	UNITED STATES OF AMERICA	CONFERENCE SPEAKER
9.	DE FRANCESCHI Silvano Research Field : Research Topic : Permanent Institute: Laboratorio TASC INFN Palazzina MM S.S. 14 Km. 163.5 Basovizza 34012 Trieste ITALY Permanent Institute e mail silvano@tasc.infn.it	ITALY	CONFERENCE SPEAKER

No.	NAME and INSTITUTE	Nationality	Function
10.	FLENSBERG Karsten Research Field : Research Topic : Permanent Institute: University of Copenhagen Niels Bohr Institute Orsted Laboratory Nano-Science Center Universitetsparken 5 DK-2100 Copenhagen Denmark Copenhagen DENMARK Permanent Institute e mail flensberg@fys.ku.dk	DENMARK	CONFERENCE SPEAKER
11.	GLAZMAN Leonid I. Research Field : Research Topic : Permanent Institute: University of Minnesota Physics 148 116 Church St. SE Minneapolis MN 55455 UNITED STATES OF AMERICA Permanent Institute e mail glazman@physics.umn.edu, glazman@umn.edu	UNITED STATES OF AMERICA	CONFERENCE SPEAKER
12.	LERNER Igor V. Research Field : Research Topic : Permanent Institute: University of Birmingham School of Physics and Astronomy Edgbaston Birmingham B15 2TT UNITED KINGDOM Permanent Institute e mail IVL@TH.PH.BHAM.AC.UK	UNITED KINGDOM	CONFERENCE SPEAKER

No.	NAME and INSTITUTE	Nationality	Function
13.	LOSS Daniel Research Field : Research Topic : Permanent Institute: University of Basel Department of Physics & Astronomy Klingelbergstrasse 82 CH-4056 Basel SWITZERLAND Permanent Institute e mail Daniel.Loss@unibas.ch	SWITZERLAND	CONFERENCE SPEAKER
14.	MARCUS Charles M. Research Field : Research Topic : Permanent Institute: Harvard University Department of Physics 17 Oxford St. Cambridge MA 02138 UNITED STATES OF AMERICA Permanent Institute e mail marcus@harvard.edu	UNITED STATES OF AMERICA	CONFERENCE SPEAKER
15.	MIRLIN Alexander D. Research Field : Research Topic : Permanent Institute: Universitat Karlsruhe Institut fur Theorie der Kondensierten Materie Engesserstr. 7, Physikhochhaus Postfach 6980 D-76128 Karlsruhe GERMANY Permanent Institute e mail mirlin@tkm.physik.uni-karlsruhe.de	RUSSIAN FEDERATION	CONFERENCE SPEAKER

No.	NAME and INSTITUTE	Nationality	Function
16.	MUELLER Cord Axel Research Field : Research Topic : Permanent Institute: Universitaet Bayreuth Physikalisches Institut Theoretische Physik Iv D-95440 Bayreuth GERMANY Permanent Institute e mail cord.mueller@uni-bayreuth.de	GERMANY	CONFERENCE SPEAKER
17.	NAZAROV Yuli(louli) Vyacheslavovitch Research Field : Research Topic : Permanent Institute: Delft University of Technology Kavli Institute of Nanoscience Lorentzweg 1 2628 CJ Delft NETHERLANDS Permanent Institute e mail Y.V.Nazarov@tn.tudelft.nl	NETHERLANDS	CONFERENCE SPEAKER
18.	PUSTILNIK Michael Research Field : Research Topic : Permanent Institute: Georgia Institute of Technology School of Physics 837 State Street Atlanta GA 30332-0430 UNITED STATES OF AMERICA Permanent Institute e mail michael.pustilnik@physics.gatech.edu	ISRAEL	CONFERENCE SPEAKER

No.	NAME and INSTITUTE	Nationality	Function
19.	SHLYAPNIKOV Georgy Research Field : Research Topic : Permanent Institute: Universite XI (Paris-Sud) Laboratoire de Physique Theorique et Modeles Statistiques (LPTMS) Batiment 100 15, rue G. Clemenceau 91405 Orsay Cedex 05 FRANCE Permanent Institute e mail shlyapn@lptms.u-psud.fr, shlyapn@ipno.in2p3.fr	RUSSIAN FEDERATION	CONFERENCE SPEAKER
20.	TROYER Matthias Research Field : Research Topic : Permanent Institute: Eidgenossische Technische Hochschule (ETH) Hoenggerberg Campus Department of Physics CH-8093 Zurich SWITZERLAND Permanent Institute e mail troyer@phys.ethz.ch	AUSTRIA	CONFERENCE SPEAKER
21.	TSVELIK Alexei M. Research Field : Research Topic : Permanent Institute: Brookhaven National Laboratory Department of Physics Building 510A P.O. Box 5000 Upton NY 11973-5000 UNITED STATES OF AMERICA Permanent Institute e mail tsvelik@cmt9.phy.bnl.gov	UNITED KINGDOM	CONFERENCE SPEAKER

No.	NAME and INSTITUTE	Nationality	Function
22.	YACOBY Amir Research Field : Research Topic : Permanent Institute: the Weizmann Institute of Science Dept. Condensed Matter Physics 76100 Rehovot ISRAEL Permanent Institute e mail amir.yacoby@weizmann.ac.il	ISRAEL	CONFERENCE SPEAKER
23.	ZHITENEV Nikolai Research Field : Research Topic : Permanent Institute: Bell Laboratories Lucent Technologies 600 Mountain Avenue NJ 07974-0636 Murray Hill UNITED STATES OF AMERICA Permanent Institute e mail zhiten@lucent.com	UNITED STATES OF AMERICA	CONFERENCE SPEAKER

No.	NAME and INSTITUTE	Nationality	Function
PARTICIPANT		Total number in this function: 114	
24.	ABEDINPOUR HARZAND Saeed Research Field : INTERACTING ELECTRON GAS Research Topic : EXCITATIONS IN COUPLED BILAYERS Permanent Institute: Scuola Normale Superiore & NEST-INFM Piazza dei Cavalieri 7 56126 Pisa ITALY Permanent Institute e mail abedi@sns.it, abedinpour@gmail.com	ISLAMIC REPUBLIC OF IRAN	PARTICIPANT
25.	ADAM Shaffique Research Field : MESOSCOPIC SYSTEMS Research Topic : QUANTUM DOTS; INTERACTIONS; RANDOM MATRIX THEORY Permanent Institute: Cornell University Department of Physics 109 Clark Hall NY 14853 Ithaca UNITED STATES OF AMERICA Permanent Institute e mail sa234@cornell.edu	UNITED STATES OF AMERICA	PARTICIPANT
26.	ADAMES RINCON Miguel Angel Research Field : THEORETICAL CM PHYSICS Research Topic : OPTICS OF NANOSTRUCTURES Permanent Institute: Universidad de Los Andes Departamento de Fisica Cr. 1. Este No. 18A-10 Edif. H Bogota COLOMBIA Permanent Institute e mail madames@uniandes.edu.co	COLOMBIA	AFFILIATE

No.	NAME and INSTITUTE	Nationality	Function
27.	AHMADVAND Hossein Research Field : Research Topic : Permanent Institute: Isfahan University of Technology Department of Physics 84156 Esfahan ISLAMIC REPUBLIC OF IRAN Permanent Institute e mail h_ahmadvand@yahoo.com	ISLAMIC REPUBLIC OF IRAN	PARTICIPANT
28.	AHMED Farid Research Field : Research Topic : Permanent Institute: Jahangirnagar University Department of Physics Savar 1342 Dhaka BANGLADESH	BANGLADESH	JUNIOR ASSOCIATE
29.	AL MOHAMMAD Ahmad Research Field : MATERIAL SCIENCE Research Topic : NANOSTRUCTURE, THIN FILM AND GAS SENSOR Permanent Institute: Atomic Energy Commission of Syria P.O. Box 6091 Damascus SYRIAN ARAB REPUBLIC Permanent Institute e mail aalmohammad@aec.org.sy	SYRIAN ARAB REPUBLIC	AFFILIATE

No.	NAME and INSTITUTE	Nationality	Function
30.	AMPONSAH Paulina Ekua Research Field : Research Topic : Permanent Institute: Geological Survey Department P.O.Box M.80 West Africa Accra GHANA Permanent Institute e mail pekua2@yahoo.com	GHANA	JUNIOR ASSOCIATE
31.	ARRIGONI Enrico Research Field : CORRELATED SYSTEMS; NON-FERMI LIQUIDS Research Topic : HIGH-TC SUPERCONDUCTORS; TRANSITION METALS Permanent Institute: Graz University of Technology Institute For Theoretical Physics Petersgasse 16 8010 Graz AUSTRIA Permanent Institute e mail arrigoni@itp.tu-graz.ac.at	ITALY	PARTICIPANT
32.	ASGARI Reza Research Field : MANY-BODY EFF. IN LOW DIMENS.SYST.;TRANSPORT PROP. Research Topic : MANY-BODY EFFECTS IN LOW DIMENSIONAL SYST. Permanent Institute: Institute for Studies in Theoretical Physics and Mathematics (I.P.M.) P.O. Box 19395-5531 19395 Tehran ISLAMIC REPUBLIC OF IRAN Permanent Institute e mail asgari@theory.ipm.ac.ir	ISLAMIC REPUBLIC OF IRAN	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
33.	ASHRAF ZAHID Imrana Research Field : Research Topic : Permanent Institute: Quaid-I-Azam University Department of Physics P.O. Box 45320 Islamabad 44000 PAKISTAN Permanent Institute e mail iashraf@qau.edu.pk,dimrana@isb.com sats.net.pk	PAKISTAN	REGULAR ASSOCIATE
34.	ASKERZADE Iman Novruz Oglu Research Field : Research Topic : Permanent Institute: Academy of Sciences of Azerbaijan Institute of Physics Prospect Javid Ave. 33 370143 Baku AZERBAIJAN Permanent Institute e mail PHYSIC@LAN.AB.AZ & AZHEP@LAN.AB.AZ	AZERBAIJAN	REGULAR ASSOCIATE
35.	BACHAOUI Soraya Research Field : THERMALLY STIMUL.PHENOMENA; RADIAT.PROTECT.DOSIMET Research Topic : ELECTRONIC PROPERTIES Permanent Institute: Universite des Sciences et de la Technologie d'Oran Laboratoire d'Etude Physique des Materiaux (LEPM) Depart. de Physique B.P. 1505 El M'naouer Oran ALGERIA Permanent Institute e mail sbachaoui@yahoo.fr	ALGERIA	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
36.	BALDEA Ioan Research Field : Research Topic : Permanent Institute: Institute for Space Sciences National Institute for Lasers, Plasmas and Radiation Physics Atomistilor 409 Magurele P.O. Box MG-6 76900 Bucharest ROMANIA Permanent Institute e mail i_baldea@yahoo.com	ROMANIA	PARTICIPANT Present institute: Universität Heidelberg Theoretische Chemie Physikalisch-Chemisches Institut Im Neuenheimer Feld 229 D-69120 Heidelberg Germany Present Institute e mail ioan.baldea@pci.uni-heidelberg.de Until when: 30 September 2005
37.	BARHDADI Abdelfattah Research Field : Research Topic : Permanent Institute: Ecole Normale Supérieure de Rabat Laboratoire de Physique des Semiconducteurs-Energie Solaire Departement de Physique B.P. 5118 Takaddoum Rabat MOROCCO Permanent Institute e mail barhdadi@fsr.ac.ma, abarhdadi@yahoo.fr	MOROCCO	SENIOR ASSOCIATE
38.	BASKO Denis Mikhailovich Research Field : Research Topic : Permanent Institute: Princeton University Department of Physics Jadwin Hall P.O. Box 708 Princeton NJ 08544 UNITED STATES OF AMERICA Permanent Institute e mail dbasko@princeton.edu	RUSSIAN FEDERATION	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
39.	BEDASSA Tesgera Debella Research Field : Research Topic : Permanent Institute: Addis Ababa University Faculty of Science Department of Physics P.O. Box 1176 Addis Ababa ETHIOPIA Permanent Institute e mail ERO.AAU@TELECOM.NET.ET	ETHIOPIA	REGULAR ASSOCIATE
40.	BENFDILA Arezki Research Field : Research Topic : Permanent Institute: Microelectronics and Device Physics Laboratory (Lmpds) Faculty of Engineering University M. Mammeri B.P. 17 Tizi Ouzou 15000 ALGERIA Permanent Institute e mail Benfdila@lycos.com	ALGERIA	REGULAR ASSOCIATE
41.	BENNABI Yamina Research Field : ACTIVE SYSTEMS; ORDERED & DISORDERED SYSTEMS Research Topic : ELECTRONIC PROPERTIES Permanent Institute: Universite des Sciences et de la Technologie d'Oran Laboratoire d'Etude Physique des Materiaux (LEPM) Depart. de Physique B.P. 1505 El M'naouer Oran ALGERIA Permanent Institute e mail kbennabi@yahoo.fr	ALGERIA	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
42.	BOLECH GRET Carlos Jose Research Field : STRONGLY CORRELATED SYSTEMS; MESOSCOPICS Research Topic : QUANTUM IMPURITIES; HEAVY FERMIONS; QUANTUM DOTS Permanent Institute: University of Geneva D.P.M.C. - Departement de Physique de la Matiere Condensee 24 Quai Ernest-Ansermet CH-1211 Geneva 4 SWITZERLAND Permanent Institute e mail bolech@physics.unige.ch	ARGENTINA	PARTICIPANT
43.	BOUHAFS Bachir Research Field : Research Topic : Permanent Institute: University of Sidi-Bel-Abbes Computational Materials Science Laboratory Department of Physics 22000 Sidi Bel Abbes Legon ALGERIA	ALGERIA	REGULAR ASSOCIATE
44.	BUSTAMANTE SALAZAR Rodney Research Field : MAGNETISM Research Topic : NANOCRYSTALLINE MAGNETS Permanent Institute: Universidad de la Habana Facultad de Fisica S. Lazaro y L. Collina, Plaza Habana CUBA Permanent Institute e mail rodney@fisica.uh.cu	CUBA	YOUNG COLLABORATOR

No.	NAME and INSTITUTE	Nationality	Function
45.	CABO MONTES DE OCA Alejandro Genaro Research Field : Research Topic : Permanent Institute: Instituto de Cibernética, Matemática y Física (ICIMAF) Grupo de Física Teórica Calle e Esquina 13 y 15, N. 309 Vedado 10400 Havana CUBA Permanent Institute e mail cabo@icmf.inf.cu, caboa@yahoo.com	CUBA	PARTICIPANT
46.	CANALI Carlo Maria Research Field : MESOSCOPIC AND NANO-PHYSICS Research Topic : NANOMAGNETISM AND SPINTRONICS Permanent Institute: University of Kalmar Division of Physics Department of Chemistry & Biomedical Sciences Nygatan 30 391 82 Kalmar SWEDEN Permanent Institute e mail carlo.canali@hik.se	ITALY	PARTICIPANT
47.	CHEN Yuguang Research Field : CONDENSED MATTER PHYSICS; STRONGLY CORREL.SYSTEM Research Topic : STRONGLY CORRELAT.ELECTR.SYS.;ORGANIC Permanent Institute: Tongji University Department of Physics 1239 Siping Road 200092 Shanghai PEOPLE'S REPUBLIC OF CHINA Permanent Institute e mail ygchen@mail.tongji.edu.cn	PEOPLE'S REPUBLIC OF CHINA	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
48.	CHENG Xueping	PEOPLE'S REPUBLIC OF CHINA	YOUNG COLLABORATOR
	Research Field :		
	Research Topic :		
	Permanent Institute:		
	Zhejiang Normal University		
	Institute of Nonlinear Physics		
	Jinhua 321004		
	PEOPLE'S REPUBLIC OF CHINA		
	Permanent Institute e mail chengxp2004@sina.com		
49.	CHERAGHCHI Hossein	ISLAMIC REPUBLIC OF IRAN	PARTICIPANT
	Research Field : LOCALIZATION IN 1D SYSTEM		
	Research Topic :		
	Permanent Institute:	Present institute:	
	Department of Physics	Sharif University of Technology	
	Damghan University of Basic Science	Institute of Physics	
	Damghan	P.O. Box 11365-9161	
	ISLAMIC REPUBLIC OF IRAN	Tehran	
	Permanent Institute e mail cheraghchi@dubs.ac.ir	Islamic Republic of Iran	
		Present Institute e mail cheraghchi@mehr.sharif.edu	
		Until when: 30 September 2006	
50.	CHUNG Chung-Hou	PEOPLE'S REPUBLIC OF CHINA	PARTICIPANT
	Research Field : CORRELATED SYSTEMS; MESOSCOPIC PHYSICS		
	Research Topic : KONDO PHYS.; HEAVY FERMIONS; MESOSCOPIQUE QUANTUM DOTS		
	Permanent Institute:		
	Universitat Karlsruhe		
	Institut fuer Theorie Der Kondensierten Materie		
	Postfach 6980		
	76128 Karlsruhe		
	GERMANY		
	Permanent Institute e mail chung@tkm.physik.uni-karlsruhe.de		

No.	NAME and INSTITUTE	Nationality	Function
51.	CIECHAN Anna Honorata Research Field : PROPERTIES OF MATERIALS AT NANOSCALE Research Topic : SUPERCONDUCTIVITY GRAINS Permanent Institute: Marie Curie-Skłodowska University Institute of Physics Radziszewskiego, 10 20-031 Lublin POLAND Permanent Institute e mail ankcie@kft.umcs.lublin.pl	POLAND	PARTICIPANT
52.	CITRO Roberta Research Field : STRONGLY CORRELATED SYSTEMS Research Topic : LUTTINGER LIQUIDS; HIGH TEMP. SUPERCONDUCTORS Permanent Institute: Universita di Salerno Dipartimento di Scienze Fisiche 'E.R. Caianiello' Via S. Allende (SA) 84081 Baronissi ITALY Permanent Institute e mail citro@sa.infn.it	ITALY	PARTICIPANT
53.	COISH Bill Research Field : QUANTUM DYNAMICS & DECOHERENCE Research Topic : HYPERFINE INTERACTION Permanent Institute: University of Basel Department of Physics & Astronomy Klingelbergstrasse 82 CH-4056 Basel SWITZERLAND Permanent Institute e mail Bill.Coish@unibas.ch	CANADA	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
54.	CRAIG Nathaniel J. Research Field : Research Topic : Permanent Institute: Harvard University Department of Physics 17 Oxford St. Cambridge MA 02138 UNITED STATES OF AMERICA Permanent Institute e mail ncraig@post.fas.harvard.edu, ncraig@stanford.edu	UNITED STATES OF AMERICA	PARTICIPANT
55.	DA SILVA Edison Zacarias Research Field : Research Topic : Permanent Institute: Universidade Estadual de Campinas (UNICAMP) Instituto de Fisica 'Gleb Wataghin' (I.F.G.W.) Cidade Universitaria Zeferino Vaz C.P. 6165 13083-970 Campinas BRAZIL Permanent Institute e mail ZACARIAS @ IFI. UNICAMP.BR	BRAZIL	SENIOR ASSOCIATE
56.	DING Xunlei Research Field : Research Topic : Permanent Institute: University of Science and Technology of China Laboratory of Bond Selective Chemistry 96 Jinzhai Road Hefei 230026 Anhui PEOPLE'S REPUBLIC OF CHINA Permanent Institute e mail dxl@ustc.edu.cn	PEOPLE'S REPUBLIC OF CHINA	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
57.	DMITRIEV Ivan Research Field : QUANTUM ELECTRON TRANSPORT IN NANOSTRUCTURES Research Topic : NON-EQUILIBRIUM ELECTRON TRANSPORT Permanent Institute: A.F. Ioffe Physical-Technical Institute Politekhnikeskaya 26 194021 St Petersburg RUSSIAN FEDERATION Permanent Institute e mail dmitriev@theory.ioffe.rssi.ru	RUSSIAN FEDERATION	PARTICIPANT Present institute: Forschungszentrum Karlsruhe Institut fuer Nanotechnologie Postfach 3640 76021 Karlsruhe Germany Present Institute e mail dmitriev@tkm.physik.uni-karlsruhe.de Until when: 31 December 2006
58.	DONABIDOWICZ Agnieszka Sylwia Research Field : NANOTECHNOLOGY Research Topic : CORRELATED SYSTEMS Permanent Institute: Marie Curie-Sklodowska University Institute of Physics Radziszewskiego, 10 20-031 Lublin POLAND Permanent Institute e mail agad@kft.umcs.lublin.pl	POLAND	PARTICIPANT
59.	EL-NASHAR Hassan Fathy Hassan Mohammad Research Field : Research Topic : Permanent Institute: Ain Shams University Faculty of Science Department of Physics Abbassia El Khalifa El Mamoon St. 11566 Cairo EGYPT Permanent Institute e mail hfelnashar@hotmail.com	EGYPT	REGULAR ASSOCIATE Present institute: Department of Physics Faculty of Education P.O. Box 21034 Alkharj Saudi Arabia Until when: 31 December 2005

No.	NAME and INSTITUTE	Nationality	Function
60.	ESCHRIG Matthias Research Field : STRONGLY CORRELATED ELECTRON SYSTEMS Research Topic : SUPERCONDUCTING NANOSTRUCTURES Permanent Institute: Universitat Karlsruhe Institut Fur Theoretische Festkorperphysik Wolfgang-Gaede Str. 1, D-76128 Karlsruhe GERMANY Permanent Institute e mail eschrig@tfp.physik.uni-karlsruhe.de	GERMANY	PARTICIPANT
61.	FAN Hongwei Research Field : Research Topic : Permanent Institute: Zhejiang University Zhejiang Institute of Modern Physics 310027 Hangzhou PEOPLE'S REPUBLIC OF CHINA Permanent Institute e mail rusher-about@163.com	PEOPLE'S REPUBLIC OF CHINA	YOUNG COLLABORATOR
62.	FAN Zhongyong Research Field : NOBEL METAL NANOCCLUSERS IN POLYMER FILMS Research Topic : Permanent Institute: Fudan University Department of Material Science 220 Handan Road 200433 Shanghai PEOPLE'S REPUBLIC OF CHINA Permanent Institute e mail zyfan@fudan.edu.cn	PEOPLE'S REPUBLIC OF CHINA	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
63.	FOA TORRES Luis Eduardo Francisco Research Field : Research Topic : Permanent Institute: Universidad Nacional de Cordoba Facultad de Matematica, Astronomia y Fisica Medina Allende & Haya de La Torre Ciudad Universitaria 5000 Cordoba ARGENTINA Permanent Institute e mail LFOA@FAMAF.UNC.EDU.AR	ARGENTINA Present institute: The Abdus Salam International Centre for Theoretical Physics Condensed Matter Section Strada Costiera 11 34014 Trieste Italy Until when:	PARTICIPANT 28 September 2005
64.	FU Xiujun Research Field : CONDENSED MATTER PHYSICS Research Topic : QUASICRYSTALS Permanent Institute: South China University of Technology Department of Physics 510641 Guangzhou PEOPLE'S REPUBLIC OF CHINA Permanent Institute e mail phxjfu@scut.edu.cn	PEOPLE'S REPUBLIC OF CHINA	AFFILIATE
65.	FURUSAKI Akira Research Field : CORRELATED SYSTEMS Research Topic : MOTT INSULATORS Permanent Institute: The Institute of Physical and Chemical Research (RIKEN) Condensed Matter Theory Laboratory 2-1 Hirosawa Wako-Shi 351-0198 Saitama JAPAN Permanent Institute e mail furusaki@riken.jp	JAPAN	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
66.	GARST Markus Research Field : CORRELATED ELECTRON SYSTEMS Research Topic : MAGNETIC IMPURITIES IN METALS Permanent Institute: University of Minnesota Theoretical Physics Institute 116 Church Street S.E. MN 55455 Minneapolis UNITED STATES OF AMERICA Permanent Institute e mail garst@physics.umn.edu	GERMANY	PARTICIPANT
67.	GASPARIAN Vladimir Matshakovich Research Field : Research Topic : Permanent Institute: Yerevan State University Department of Physics 1 Alex Manoukian Street 375025 Yerevan ARMENIA Permanent Institute e mail ANSY@ADONIS.RAS.MSK.SU	ARMENIA	SENIOR ASSOCIATE
68.	GAVA Paola Research Field : Research Topic : Permanent Institute: S.I.S.S.A. - International School for Advanced Studies Via Beirut 2-4 34014 Trieste ITALY Permanent Institute e mail gavap@sissa.it	ITALY	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
69.	GHADERI JOUYBARI Nahid Research Field : Research Topic : Permanent Institute: Isfahan University of Technology Department of Physics 84156 Esfahan ISLAMIC REPUBLIC OF IRAN Permanent Institute e mail nahid-ghaderi@yahoo.com, nghaderi@ph.iut.ac.ir	ISLAMIC REPUBLIC OF IRAN	PARTICIPANT
70.	GORNYI Igor Viktorovich Research Field : DISORDERED & CORRELATED SYSTEMS Research Topic : TRANSPORT IN QUANTUM WIRES; MAGNETOTRANSPORT 2DEG Permanent Institute: A.F. Ioffe Physical-Technical Institute Politekhnikeskaya 26 194021 St Petersburg RUSSIAN FEDERATION Permanent Institute e mail gornyi.vip1@pop.ioffe.rssi.ru	RUSSIAN FEDERATION Present institute: Forschungszentrum Karlsruhe Institut fuer Nanotechnologie Postfach 3640 76021 Karlsruhe Germany Present Institute e mail gornyi@tkm.physik.uni-karlsruhe.de Until when: 31 December 2010	PARTICIPANT
71.	HASTINGS Matthew Benjamin Research Field : CORRELATED SYSTEMS Research Topic : NON-EQUILIBRIUM SYSTEMS; TOPOLOGICAL ORDER Permanent Institute: Los Alamos National Laboratory Theoretical Division T-13, MS B213 New Mexico Los Alamos NM 87505 UNITED STATES OF AMERICA Permanent Institute e mail hastings@lanl.gov	UNITED STATES OF AMERICA	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
72.	HAUPT Federica Research Field : FLUCTUATIONS, CORRELATED ELECTRON SYSTEMS Research Topic : ONE DIMENSIONAL ELECTRON SYSTEM Permanent Institute: Universita' degli Studi di Genova Dipartimento di Fisica Via Dodecaneso, 33 16146 Genova ITALY Permanent Institute e mail haupt@ge.infm.it	ITALY	PARTICIPANT
73.	HOUZET Manuel Research Field : MESOSCOPIC PHYSICS Research Topic : COULOMB BLOCKADE Permanent Institute: CEA - Centre D'Etudes Nucleaires de Grenoble SPSMS/DRFMC Bat. C1 17 Rue Des Martyrs 38054 Grenoble Cedex 9 FRANCE Permanent Institute e mail houzet@drfmc.ceng.cea.fr	FRANCE	PARTICIPANT
74.	IVANOV Nedko Borissov Research Field : Research Topic : Permanent Institute: Bulgarian Academy of Science Georgi Nadjakov Institute of Solid State Physics 72 Tzarigradsko Chaussee Blvd. 1784 Sofia BULGARIA Permanent Institute e mail NEDKO@CENTER.PHYS.ACAD.BG	BULGARIA	REGULAR ASSOCIATE

No.	NAME and INSTITUTE	Nationality	Function
75.	JIN Hosub Research Field : Research Topic : Permanent Institute: Seoul National University Centre For Theoretical Physics 151-742 Seoul REPUBLIC OF KOREA Permanent Institute e mail jinhosub@lycos.co.kr	REPUBLIC OF KOREA	AFFILIATE
76.	KASHUBA Oleksiy Research Field : MESOSCOPIC PHYSICS Research Topic : Permanent Institute: University of Lancaster Department of Physics LA1 4YB Lancaster UNITED KINGDOM Permanent Institute e mail o.kashuba@lancaster.ac.uk	UKRAINE	PARTICIPANT
77.	KHAN Mohammad Sayeedur Rahman Research Field : Research Topic : Permanent Institute: University of Rajshahi Dep.Applied Phys.& Electronics 6205 Rajshahi BANGLADESH Permanent Institute e mail RU.PHY@DRIK.BGD.TOOLNET	BANGLADESH	REGULAR ASSOCIATE
78.	KIM Ki-Seok Research Field : STRONGLY CORRELATED ELECTRONS Research Topic : ROLE OF NON-MAGNETIC & MAGNETIC DISORDER Permanent Institute: Korea Institute For Advanced Study 207-43 Cheongnyangni 2-Dong Dongdaemun-Gu Seoul 130-722 REPUBLIC OF KOREA Permanent Institute e mail kimks@kias.re.kr	REPUBLIC OF KOREA	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
79.	KINDERMANN Markus Research Field : NANOSCALE PHYSICS Research Topic : CORRELATION EFFECTS Permanent Institute: Cornell University Laboratory of Atomic and Solid State Physics (LASSP) Clark Hall Ithaca NY 14853-2501 UNITED STATES OF AMERICA Permanent Institute e mail kinderm@ccmr.cornell.edu	GERMANY	PARTICIPANT
80.	KISELEV Mikhail Research Field : LOW-DIMENSIONAL SYSTEMS; MESOSCOPICS Research Topic : QUANTUM DOTS AND WIRES; SPIN CHAINS Permanent Institute: Institute for Theoretical Physics & Astrophysics University of Wurzburg Am Hubland D-97074 Wurzburg GERMANY Permanent Institute e mail kiselev@physik.uni-wuerzburg.de	RUSSIAN FEDERATION	PARTICIPANT
81.	KOFANE Timoleon Crepin Research Field : Research Topic : Permanent Institute: Universite de Yaounde I Laboratoire de Mecanique Faculte' de Sciences Departement de Physique P.O.Box 56 Bamenda Yaounde REPUBLIC OF CAMEROON Permanent Institute e mail TKOFANE@YAHOO.FR	REPUBLIC OF CAMEROON	SENIOR ASSOCIATE

No.	NAME and INSTITUTE	Nationality	Function
82.	KSHIRSAGAR Anjali Lalitkumar Research Field : Research Topic : Permanent Institute: University of Pune Department of Physics Ganeshkhind 411 007 Pune INDIA Permanent Institute e mail ANJALI@PHYSICS.UNIPUNE.ERNET.I N	INDIA	GROUP ASSOCIATE
83.	LAMACRAFT Austen Research Field : MESOSCOPIC PHYSICS Research Topic : STRONG INTERACTIONS & TRANSPORT Permanent Institute: Princeton University Department of Physics Jadwin Hall P.O. Box 708 Princeton NJ 08544 UNITED STATES OF AMERICA Permanent Institute e mail alamacra@princeton.edu	UNITED KINGDOM	PARTICIPANT
84.	LI Dingping Research Field : Research Topic : Permanent Institute: Beijing University {University of Peking} Faculty of Science Department of Physics 100871 Beijing PEOPLE'S REPUBLIC OF CHINA Permanent Institute e mail lidp_2000@yahoo.com	PEOPLE'S REPUBLIC OF CHINA	REGULAR ASSOCIATE

No.	NAME and INSTITUTE	Nationality	Function
85.	LIANG Ying Research Field : Research Topic : Permanent Institute: Beijing Normal University Department of Physics No. 19 Xijiekouwai St. Beijing 100875 PEOPLE'S REPUBLIC OF CHINA Permanent Institute e mail liang@bnu.edu.cn	PEOPLE'S REPUBLIC OF CHINA	PARTICIPANT
86.	LOBASKIN Dmitry Research Field : NON-EQUILIBRIUM CORRELATED SYSTEMS Research Topic : KONDO PHYSICS Permanent Institute: Universitat Augsburg Theoretische Physik III D-86135 Augsburg GERMANY Permanent Institute e mail dmitry.lobaskin@physik.uni-augsburg.d e	RUSSIAN FEDERATION	PARTICIPANT
87.	LYNE David Stephen Research Field : MESOSCOPICS Research Topic : QUANTUM TRANSPORT Permanent Institute: University of Lancaster Department of Physics LA1 4YB Lancaster UNITED KINGDOM Permanent Institute e mail d.lyne@lancs.ac.uk	UNITED KINGDOM	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
88.	MAROTTI PRIERO Ricardo Enrique Research Field : NANOMATERIALS Research Topic : OPTICAL PROPERTIES Permanent Institute: Universidad de La Republica Instituto de Fisica Facultad de Ingenieria Julio Herrera y Reissig 565 Piso 4. 11000 Montevideo URUGUAY Permanent Institute e mail khamul@fing.edu.uy	URUGUAY	PARTICIPANT
89.	MEDINE Emin Ilker Research Field : Research Topic : Permanent Institute: Ege University Institute of Nuclear Sciences Bornova 35100 Izmir TURKEY Permanent Institute e mail ilkermedine@nucleer.ege.edu.tr	TURKEY	YOUNG COLLABORATOR
90.	MENENDEZ PROUPIN Eduardo Ariel Research Field : Research Topic : Permanent Institute: Universidad de Chile Facultad de Ciencias Departamento de Fisica Casilla 653 Las Palmeras 3425 Nunoa Santiago CHILE Permanent Institute e mail eariel@puc.cl, eariel99@yahoo.com, emenendez@macul.ciencias.uchile.cl	CUBA	JUNIOR ASSOCIATE

No.	NAME and INSTITUTE	Nationality	Function
91.	MITRA Aditi Research Field : QUANTUM CONDENSED MATTER THEORY Research Topic : STRONGLY CORREL.ELECTR.SYS. & NONEQUILIBR.QUANT.TR Permanent Institute: Columbia University Dept. Physics. Pupin Lab. 538 West 120Th Street 10027 N.Y. New York UNITED STATES OF AMERICA Permanent Institute e mail am2275@columbia.edu	INDIA	PARTICIPANT
92.	MOLLAH Mohammed Shafikuddin Research Field : SOLID STATE PHYSICS, MATERIALS SCIENCE Research Topic : COLOSSAL MAGNETORESISTANCE, SUPERCONDUCTORS Permanent Institute: Aligarh Muslim University Department of Physics 202002 Aligarh INDIA Permanent Institute e mail smollah@rediffmail.com	INDIA	AFFILIATE
93.	NANA ENGO Serge Guy Research Field : Research Topic : Permanent Institute: University of Ngaoundere Faculty of Sciences Department of Physics B.P. 454 Ngaoundere REPUBLIC OF CAMEROON Permanent Institute e mail nanaengo@yahoo.com	REPUBLIC OF CAMEROON	JUNIOR ASSOCIATE

No.	NAME and INSTITUTE	Nationality	Function
94.	NOVOTNY Tomas Research Field : QUANTUM ELECTRONIC TRANSPORT Research Topic : MOLECULAR ELECTRONICS Permanent Institute: Charles University Department of Electronic Structures Faculty of Mathematics & Physics Ke Karlovu 5 121 16 Prague 2 CZECH REPUBLIC Permanent Institute e mail tno@mag.mff.cuni.cz	CZECH REPUBLIC	PARTICIPANT Present institute: Nano Science Centre H.C. Orsted Institut University of Copenhagen Universitetsparken 5, Bygning D 2100 Copenhagen Denmark Present Institute e mail novotny@fys.ku.dk Until when: 31 October 2006
95.	ONWUAGBA Beniah Ndudim Research Field : Research Topic : Permanent Institute: Federal University of Technology School of Sciences Department of Physics Private Mail Box 1526 Owerri NIGERIA Permanent Institute e mail ONWUAGBA@FUTO.EDU.NG	NIGERIA	SENIOR ASSOCIATE
96.	ORELLANA Pedro Research Field : MESOSCOPIC PHYSICS & STRONGLY CORRELATED ELECTRON Research Topic : ELECTRON TRANSPORT THROUGH QUANTUM DOTS Permanent Institute: Universidad Catolica del Norte Departamento de Fisica Avda Angamos 0610 Casilla 1280 Antofagasta CHILE Permanent Institute e mail orellana@ucn.cl	CHILE	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
97.	OSSIPOV Alexander Research Field : Research Topic : Permanent Institute: Max-Planck-Institut fur Stromungsforschung Bunsenstrasse 10 Postfach 2853 37073 Gottingen GERMANY Permanent Institute e mail alex@chaos.gwdg.de	RUSSIAN FEDERATION	PARTICIPANT Present institute: The Abdus Salam International Centre for Theoretical Physics Condensed Matter Section Strada Costiera 11 34014 Trieste Italy Until when: 31 October 2005
98.	PAASKE Jens Research Field : NONEQUILIBRIUM; CORRELAT. ELECTR.;RG-METHODS KONDO Research Topic : NANO-ELECTRO-MECHANICAL SYSTEMS Permanent Institute: Nano Science Centre H.C. Orsted Institut University of Copenhagen Universitetsparken 5, Bygning D 2100 Copenhagen DENMARK Permanent Institute e mail paaske@fys.ku.dk	DENMARK	PARTICIPANT
99.	PAPA Emiliano Research Field : CORRELATED ELECTRON SYSTEMS Research Topic : LUTTINGER LIQUIDS Permanent Institute: University of Texas at Austin Department of Physics Austin TX 78712 UNITED STATES OF AMERICA Permanent Institute e mail papa@physics.utexas.edu	ALBANIA	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
100.	PELETINSKY Alexander Research Field : Research Topic : Permanent Institute: Kharkov Institute of Physics and Technology National Science Centre Inst. For Theoretical Physics 1 Akademicheskaya St. 61108 Kharkov UKRAINE Permanent Institute e mail SPELET@KIPT.KHARKOV.UA	UKRAINE	JUNIOR ASSOCIATE
101.	PEREYRA Pedro Research Field : Research Topic : Permanent Institute: Universidad Autonoma Metropolitana - Azcapotzalco Area de Fisica - Cbi Av. Sn. Pablo 180 Col. Reynosa Tamaulipas Azcapotzalco 02200 Mexico City MEXICO Permanent Institute e mail ppereyra@correo.azc.uam.mx	BOLIVIA	SENIOR ASSOCIATE
102.	PEREZ MALDONADO Maria Teresa Research Field : NANOSTRUCTURES Research Topic : NANOSTRUCTURES UNDER THZ RADIATION Permanent Institute: Universidad de La Habana Faculty of Physics Dept. of Theoretical Physics Calle San Lazaro Y L. Vedado 10400 Havana CUBA Permanent Institute e mail mtperez@fisica.uh.cu; mtpm67@yahoo.com	CUBA	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
103.	PETROSYAN Stepan Research Field : Research Topic : Permanent Institute: Yerevan State University Department of Radiophysics Manoogian Street St.1 375049 Yerevan ARMENIA Permanent Institute e mail GAYANE@ARMINCO.COM	ARMENIA	REGULAR ASSOCIATE
104.	PEZZOLI Maria Elisabetta Research Field : Research Topic : Permanent Institute: S.I.S.S.A. - International School for Advanced Studies Via Beirut 2-4 34014 Trieste ITALY Permanent Institute e mail pezzoli@sissa.it	ITALY	PARTICIPANT
105.	POLYAKOV Dimitri G. Research Field : DISORDERED/CORRELATED ELECTRON SYSTEMS Research Topic : TRANSPORT OF INTERACTING ELECTRONS Permanent Institute: Forschungszentrum Karlsruhe Institut fuer Nanotechnologie Postfach 3640 76021 Karlsruhe GERMANY Permanent Institute e mail polyakov@int.fzk.de	RUSSIAN FEDERATION	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
106.	POSAZHENNIKOVA(POSSAJENNIKOVA) Anna Research Field : STRONGLY CORRELATED SYSTEM; CONDENSED MATTER Research Topic : KONDO EFFECT IN MESOSCOPIC SYSTEMS Permanent Institute: Universitat Karlsruhe Institut Fur Theoretische Festkorperphysik Wolfgang-Gaede Str. 1, D-76128 Karlsruhe GERMANY Permanent Institute e mail anna@tfp.physik.uni-karlsruhe.de	RUSSIAN FEDERATION	PARTICIPANT
107.	PROTOGENOV Alexander Pavlovich Research Field : Research Topic : Permanent Institute: Russian Academy of Sciences Institute of Applied Physics 46 Ulyanov Str. 603 950 Nizhni Novgorod RUSSIAN FEDERATION Permanent Institute e mail alprot@appl.sci-nnov.ru	RUSSIAN FEDERATION	PARTICIPANT
108.	QIAO Zhijun Research Field : Research Topic : Permanent Institute: Liaoning University Department of Mathematics 110036 Shenyang PEOPLE'S REPUBLIC OF CHINA	PEOPLE'S REPUBLIC OF CHINA	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
109.	RAFIQUE Nusrat Research Field : Research Topic : Permanent Institute: COMSATS Institute of Information Technology Department of Physics Plot no. 30 Sector H-8/1 Islamabad PAKISTAN Permanent Institute e mail nusrat_rafiq@comsats.edu.pk	PAKISTAN	AFFILIATE
110.	RAKHIMOV Abdulla Research Field : Research Topic : Permanent Institute: Academy of Sciences of the Republic Uzbekistan Institute of Nuclear Physics Ulugbek 702132 Tashkent UZBEKISTAN Permanent Institute e mail rakhimov@rakhimov.ccc.uz	UZBEKISTAN	PARTICIPANT
111.	RIBEIRO TEIXEIRA Ana Carolina Research Field : STATISTICAL PHYSICS Research Topic : Permanent Institute: Universidade Federal do Rio Grande do Sul Instituto de Fisica Caixa Postal 15051 Av. Bento Goncalves 9500 Campus do Vale 91501-970 Porto Alegre RS BRAZIL Permanent Institute e mail anacarol@if.ufrgs.br	BRAZIL	YOUNG COLLABORATOR

No.	NAME and INSTITUTE	Nationality	Function
112.	RIZVI Tasneem Zahra Research Field : Research Topic : Permanent Institute: Quaid-I-Azam University Department of Physics P.O. Box 45320 Islamabad 44000 PAKISTAN	PAKISTAN	REGULAR ASSOCIATE
113.	ROZALE Habib Research Field : Research Topic : Permanent Institute: Universite de Sidi Bel-Abbes Departement de Physique 22000 Sidi Bel Abbes Legon ALGERIA Permanent Institute e mail h_27rozale@yahoo.fr	ALGERIA	YOUNG COLLABORATOR
114.	RUDNER Mark Research Field : Research Topic : Permanent Institute: Massachusetts Institute of Technology 77 Massachusetts Avenue Cambridge MA 02139 UNITED STATES OF AMERICA Permanent Institute e mail rudner@mit.edu	UNITED STATES OF AMERICA	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
115.	SABOURI DODARAN Amir Abbas Research Field : Research Topic : Permanent Institute: Institute for Studies in Theoretical Physics and Mathematics (I.P.M.) P.O. Box 19395-5531 19395 Tehran ISLAMIC REPUBLIC OF IRAN Permanent Institute e mail sabouri@lmcp.jussieu.fr	ISLAMIC REPUBLIC OF IRAN	JUNIOR ASSOCIATE
116.	SAID Moncef Research Field : Research Topic : Permanent Institute: Departement de Physique Fac. Des Sciences de Monastir Avenue de L'Environnement 5019 Monastir TUNISIA Permanent Institute e mail moncef_said@yahoo.fr	TUNISIA	REGULAR ASSOCIATE
117.	SCHMIDT Mark C. Research Field : Research Topic : Permanent Institute: ARDEC/TARDEC Representative European Research Office U.S. Army International Technology Center - Atlantic (USAITC-A) 223 Old Marylebone Road NW1 5TH London UNITED KINGDOM Permanent Institute e mail mschmidt@usaitca.army.mil	UNITED STATES OF AMERICA	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
118.	SCREMIN Barbara Federica Research Field : Research Topic : Permanent Institute: Universita' di Venezia 'Ca Foscari' Dipart. di Chimica Fisica Calle Larga S. Marta 2137 30123 Venezia ITALY Permanent Institute e mail screminb@unive.it	ITALY	PARTICIPANT
119.	SEDLMAYR Nicholas Daniel Research Field : MESOSCOPICS Research Topic : QUANTUM DOTS; METAMAGNETIC QUANTUM CRITICALITY Permanent Institute: University of Birmingham School of Physics and Astronomy Edgbaston Birmingham B15 2TT UNITED KINGDOM Permanent Institute e mail nsedlmay@th.ph.bham.ac.uk	UNITED KINGDOM	PARTICIPANT
120.	SENOUCI Khaled Research Field : DISORDERED SYSTEMS; CORRELATED SYSTEMS Research Topic : ELECTRONIC PROPERTIES; MESOSCOPIC PHYSICS Permanent Institute: University of Mostaganem Faculte Des Sciences Departement de Physique B.P. 227 27000 Mostaganem ALGERIA Permanent Institute e mail senouci_k@yahoo.com	ALGERIA	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
121.	SHAH Nayana Pravin Research Field : CORRELATED SYSTEMS; MESOSCOPICS Research Topic : NON-EQUILIBRIUM; QUANTUM DOTS Permanent Institute: Universitat zu Koln Institut fur Theoretische Physik Zulpicher Strasse 77 D-50937 Cologne GERMANY Permanent Institute e mail nayana@thp.uni-koeln.de	INDIA	PARTICIPANT
122.	STARIOLO Daniel Adrian Research Field : Research Topic : Permanent Institute: Universidade Federal do Rio Grande do Sul Instituto de Fisica Caixa Postal 15051 Av. Bento Goncalves 9500 Campus do Vale 91501-970 Porto Alegre RS BRAZIL Permanent Institute e mail stariolo@if.ufrgs.br	ARGENTINA	REGULAR ASSOCIATE
123.	TAYLOR Jacob Mason Research Field : MESOSCOPIC SYSTEMS AND QUANTUM INFORMATION Research Topic : QUANTUM DOTS AND NOISE Permanent Institute: Harvard University Department of Physics 17 Oxford St. Cambridge MA 02138 UNITED STATES OF AMERICA Permanent Institute e mail jmtaylor@fas.harvard.edu	UNITED STATES OF AMERICA	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
124.	TEODORESCU Razvan Research Field : CORRELATED SYSTEMS; MESOSCOPICS; NANODEVICES Research Topic : Permanent Institute: Columbia University Department of Physics 538 West 120th Street New York NY 10027 UNITED STATES OF AMERICA Permanent Institute e mail rteodore@phys.columbia.edu	ROMANIA	PARTICIPANT
125.	TOCCHIO Luca Fausto Research Field : Research Topic : Permanent Institute: S.I.S.S.A. - International School for Advanced Studies Via Beirut 2-4 34014 Trieste ITALY Permanent Institute e mail tocchio@sissa.it	ITALY	PARTICIPANT
126.	TURLAKOV Mihail (Misha) Research Field : STRONGLY CORRELATED SYSTEMS Research Topic : MESOSCOPIC PHYSICS Permanent Institute: University of Oxford Dept. of Theoretical Physics 1 Keble Road Oxford OX1 3NP UNITED KINGDOM Permanent Institute e mail turlakov@thphys.ox.ac.uk	KYRGYZSTAN	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
127.	UNAK (DARCAN) Perihan Research Field : Research Topic : Permanent Institute: Ege University Institute of Nuclear Sciences Bornova 35100 Izmir TURKEY Permanent Institute e mail Unakp@bornova.ege.edu.tr	TURKEY	REGULAR ASSOCIATE
128.	USAJ Gonzalo Research Field : MESOSCOPIC SYSTEMS; SPIN DEPENDENT TRANSPORT Research Topic : COULOMB BLOCKADE; SPIN COUPLING BETWEEN QD Permanent Institute: Centro Atomico Bariloche Instituto Balseiro CNEA Avenida Bustillo 9500 8400 San Carlos de Bariloche Rio Negro ARGENTINA Permanent Institute e mail usaj@cab.cnea.gov.ar	ARGENTINA	PARTICIPANT
129.	VENTURA Cecilia Ileana Research Field : Research Topic : Permanent Institute: Centro Atomico Bariloche Comision Nacional de Energia Atomica Avda Bustillo Km. 9500 (9,6) Rio Negro 8400 San Carlos de Bariloche ARGENTINA Permanent Institute e mail VENTURA@CAB.CNEA.EDU.AR	ARGENTINA	REGULAR ASSOCIATE

No.	NAME and INSTITUTE	Nationality	Function
130.	WIEGMANN Paul Research Field : Research Topic : Permanent Institute: the University of Chicago Department of Physics 5640 S. Ellis Avenue IL 60637 Chicago UNITED STATES OF AMERICA Permanent Institute e mail wiegmann@uchicago.edu	UNITED STATES OF AMERICA	PARTICIPANT
131.	WOULACHE Rosalie Laure Research Field : Research Topic : Permanent Institute: University of Yaounde I Faculty of Science Department of Physics Laboratory of Mechanics P.O. Box 812 Yaounde REPUBLIC OF CAMEROON Permanent Institute e mail rwoulach@uycdc.uninet.cm	REPUBLIC OF CAMEROON	PARTICIPANT
132.	XIAO Ting Research Field : DYNAMIC CRITICAL PHENOMENON. Research Topic : Permanent Institute: Zhejiang University Zhejiang Institute of Modern Physics Department of Physics 310027 Hangzhou PEOPLE'S REPUBLIC OF CHINA Permanent Institute e mail xt-michelle@sohu.com	PEOPLE'S REPUBLIC OF CHINA	YOUNG COLLABORATOR

No.	NAME and INSTITUTE	Nationality	Function
133.	YANG Bohm-Jung Research Field : Research Topic : Permanent Institute: Seoul National University Centre For Theoretical Physics 151-742 Seoul REPUBLIC OF KOREA Permanent Institute e mail bjang@snu.ac.kr	REPUBLIC OF KOREA	AFFILIATE
134.	YEWANDE Emmanuel Oluwole. Jr. Research Field : SURFACE MORPHOLOGY/MODIFICATION Research Topic : ION BEAM SPUTTERING Permanent Institute: University of Gottingen Institute for Theoretical Physics Friedrich-Hund-Platz, 1 37077 Gottingen GERMANY Permanent Institute e mail yewande@theorie.physik.uni-goettingen.de	NIGERIA	PARTICIPANT
135.	YING He-Ping Research Field : Research Topic : Permanent Institute: Zhejiang University Zhejiang Institute of Modern Physics 310027 Hangzhou PEOPLE'S REPUBLIC OF CHINA Permanent Institute e mail HPYING@ZIMP.ZJU.EDU.CN	PEOPLE'S REPUBLIC OF CHINA	REGULAR ASSOCIATE

No.	NAME and INSTITUTE	Nationality	Function
136.	ZENG Zhaoyang Research Field : Research Topic : Permanent Institute: Jiangxi Normal University Department of Physics 17 Nanjin East Road 330047 Nanchang PEOPLE'S REPUBLIC OF CHINA Permanent Institute e mail zyzeng@hunnu.edu.cn	PEOPLE'S REPUBLIC OF CHINA	JUNIOR ASSOCIATE
137.	ZHENG Bo Research Field : Research Topic : Permanent Institute: Zhejiang University Department of Physics Hangzhou 310027 PEOPLE'S REPUBLIC OF CHINA Permanent Institute e mail zheng@zimp.zju.edu.cn/ZHENG@HE RA.PHYSIK.UNI-HALLE.DE	PEOPLE'S REPUBLIC OF CHINA	REGULAR ASSOCIATE